# Autumn Scheme of learning

Year 4



#MathsEveryoneCan

# The White Rose Maths schemes of learning

#### **Teaching for mastery**

Our research-based schemes of learning are designed to support a mastery approach to teaching and learning and are consistent with the aims and objectives of the National Curriculum.

#### Putting number first

Our schemes have number at their heart. A significant amount of time is spent reinforcing number in order to build competency and ensure children can confidently access the rest of the curriculum.

#### Depth before breadth

Our easy-to-follow schemes support teachers to stay within the required key stage so that children acquire depth of knowledge in each topic. Opportunities to revisit previously learned skills are built into later blocks.

#### Working together

Children can progress through the schemes as a whole group, encouraging students of all abilities to support each other in their learning.

#### Fluency, reasoning and problem solving

Our schemes develop all three key areas of the National Curriculum, giving children the knowledge and skills they need to become confident mathematicians.

#### Concrete – Pictorial – Abstract (CPA)

Research shows that all children, when introduced to a new concept, should have the opportunity to build competency by following the CPA approach. This features throughout our schemes of learning.

#### Concrete

Children should have the opportunity to work with physical objects/concrete resources, in order to bring the maths to life and to build understanding of what they are doing.

#### Pictorial


Alongside concrete resources, children should work with pictorial representations, making links to the concrete. Visualising a problem in this way can help children to reason and to solve problems.


#### Abstract

With the support of both the concrete and pictorial representations, children can develop their understanding of abstract methods.

If you have questions about this approach and would like to consider appropriate CPD, please visit <u>www.whiterosemaths.com</u> to find a course that's right for you.







White

# **Teacher guidance**

Every block in our schemes of learning is broken down into manageable small steps, and we provide comprehensive teacher guidance for each one. Here are the features included in each step.

Notes and guidance that provide an overview of the content of the step and ideas for teaching, along with advice on progression and where a topic fits within the curriculum.

Things to look out for, which highlights common mistakes, misconceptions and areas that may require additional support.

#### Year 5 | Autumn Term | Block 1 - Place Value | Step 1

#### Roman numerals to 1,000

#### Notes and guidance

In Year 4, children learned about Roman numerals to 100. In this small step, they explore Roman numerals to 1,000, and the symbols D (500) and M (1,000) are introduced.

Children explore further the similarities and differences between the Roman number system and our number system, learning that the Roman system does not have a zero and does not use placeholders.

Children use their knowledge of M and D to recognise years using Roman numerals. Asking children to write the date in Roman numerals is one way to reinforce the concept daily.

#### Things to look out for

- Children may mix up which letter stands for which number.
  Children may add the individual values together instead
- of interpreting the values based on their position, for example interpreting CD as 600 instead of 400
- It is often more difficult to convert numbers that require large strings of Roman numerals.
- Children may think that numbers such as 990 can be written as XM instead of CMXC.

National Curriculum links to indicate the objective(s) being addressed by the step.

#### Key questions

What patterns can you see in the Roman number system?

White R©se Maths

© White Rose Maths 2022

- What rules do we use when converting numbers to Roman numerals?
- What letters are used in the Roman number system? What does each letter represent?
- How do you know what order to write the letters when using Roman numerals?
- What is the same and what is different about representing the number "five hundred and three" in the Roman number system and in our number system?

#### Possible sentence stems 🧹

The letter \_\_\_\_\_ represents the number \_\_\_\_\_
 I know \_\_\_\_\_ is greater than \_\_\_\_\_ because \_\_\_\_\_

National Curriculum links • Read Roman numerals to 1,000 (M) and recognise years written in Roman numerals **Key questions** that can be posed to children to develop their mathematical vocabulary and reasoning skills, digging deeper into the content.

• Possible sentence stems to further support children's mathematical language and to develop their reasoning skills.



© White Rose Maths 2022


# **Teacher guidance**

A **Key learning** section, which provides plenty of exemplar questions that can be used when teaching the topic.

White Rose Maths Year 2 | Autumn Term | Block 1 – Place Value | Step 1 Numbers to 20 **Key learning** What numbers are shown? Complete the number tracks. 0 10 11 12 Give your answers in numerals and words. 13 What number is shown on each Rekenrek? 00000000000000000 -00000 What numbers are shown? 6666 000000000 ññññ 0000000000 Give your answers in numerals and words. Give your answers in numerals and words Make each number in three different ways. Use words to complete the sentences. 16 eleven fifteen The number after four is \_\_\_\_\_ 19 The number before eight is \_\_\_\_\_ The number after nine is \_\_\_\_ © White Rose Maths 2022 Activity symbols that indicate an idea can be

explored practically


#### **Reasoning and problem-solving** activities and questions that can be used in class to provide further challenge and to encourage deeper understanding of each topic.




White Røse

Maths

# **Activities and symbols**






© White Rose Maths 2022


White Røse

Maths


# **Free supporting materials**

**End-of-block assessments** to check progress and identify gaps in knowledge and understanding.






Each small step has an accompanying home learning video where one of our team of specialists models the learning in the step. These can also be used to support students who are absent or who need to catch up content from earlier blocks or years.




**End-of-term assessments** for a more summative view of where children are succeeding and where they may need more support.



# **Free supporting materials**



**National Curriculum progression** to indicate how the schemes of learning fit into the wider picture and how learning progresses within and between year groups.



Calculation policies that show how key approaches develop from Year 1 to Year 6.

#### Ready to Progress - Number Facts Year 3


	3NF-1	3NF-2	3NF-3
R I P Criteria	Secure fluency in addition and subtraction facts that bridge 10, through continued practice.	Recall multiplication facts, and corresponding division facts, in the 10, 5, 2, 4 and 8 multiplication tables, and recognise products in these multiplication tables as multiples of the corresponding number.	Apply place-value knowledge to known additive and multiplicative number facts (scaling facts by 10).
White Rose Maths Small Steps C	Autumn 2 Addition and Subtraction • Add 3-digt and 3-digt numbers - crossing 10 • Subtract a 1-digt number from a 3-digt number - crossing 10 • Add 3-digt and 2-digt numbers - crossing 100 • Subtract a 2-digt number from a 3-digt number - crossing 100	Autumn 3 Multiplication and Division           2 times-table           5 times-table           Divide by 2           Divide by 5           Divide by 5           Divide by 10           Multiply by 4           Divide by 4           The 4 times-table           Multiply by 8           Divide by 8           The 8 times-table	Spring 1 Multiplication and Division • Related calculators • Scaling Spring 4 Measurement : Length and Perimeter • Equivalent lengths (m and cm) • Equivalent lengths (mm and cm)

**Ready to progress** mapping that shows how the schemes of learning link to curriculum prioritisation.

White Rose Maths




# **Premium supporting materials**





# **Premium supporting materials**

**Teaching slides** that mirror the content of our home learning videos for each step. These are fully animated and editable, so can be adapted to the needs of any class.




A **true or false** question for every small step in the scheme of learning. These can be used to support new learning or as another tool for revisiting knowledge at a later date.

There are more sheep than cows.

True on Folse ?

Flashback 4 starter activities to improve retention. Q1 is from the last lesson; Q2 is from last week; Q3 is from 2 to 3 weeks ago; Q4 is from last term/year. There is also a bonus question on each one to recap topics such as telling the time, times-tables and Roman numerals.





#### **Topic-based CPD videos**

As part of our on-demand CPD package, our maths specialists provide helpful hints and guidance on teaching topics for every block in our schemes of learning.



#### Meet the characters

0-0

Our class of characters bring the schemes to life, and will be sure to engage learners of all ages and abilities. Follow the children and their class pet, Tiny the tortoise, as they explore new mathematical concepts and ideas.





# Yearly overview

The yearly overview provides suggested timings for each block of learning, which can be adapted to suit different term dates or other requirements.


Week 1 Week 2 Week 4 Week 5 Week 6 Week 7 Week 8 Week 10 Week 11 Week 3 Week 9 Week 12 Consolidation Number Number Number **Addition and Place value Multiplication** Autumn Measurement subtraction and division A Area Number Measurement Number Number Multiplication **Decimals A** Length **Fractions** Spring and division **B** and perimeter Number Measurement Consolidation Geometry Geometry Measurement Statistics **Decimals B** Shape Position Money Time Summer and direction




© White Rose Maths 2022

# Autumn Block 1 Place value






# Small steps







# Small steps







# Small steps



Step 17

Round to the nearest 10, 100 or 1,000



# **Represent numbers to 1,000**



#### Notes and guidance

Children learned how to represent numbers to 1,000 in Year 3 – a concept that will be reinforced in this small step to ensure they have a sound understanding. This understanding will be important later in the block, as children begin to explore numbers over 1,000

Examples have been chosen to ensure that children look at representing and interpreting numbers that have no tens or no ones, to reinforce the idea of using zero as a placeholder. Base 10 and place value counters are used throughout. Base 10 can help children understand the size of a number, while place value counters are more efficient later in the block, when working with 4-digit numbers.

## Things to look out for

- Children may write numbers incorrectly, for example 421 as 400201
- Children may not understand the place value of each digit in a number.
- Children may not use placeholders appropriately.
- Children may not recognise the value of a place value counter correctly, because different place value counters are identical in size.

## **Key questions**

- What is the value of each base 10 piece?
- What is the value of each place value counter?
- How did you count the pieces?
- Does the order in which you build the number matter?
- Can you represent the number another way?
- What do you do if there are no tens?

#### **Possible sentence stems**

- There are \_\_\_\_\_ hundreds, \_\_\_\_\_ tens and \_\_\_\_\_ ones.
   The number is \_\_\_\_\_
- When a number has no \_\_\_\_\_, then we use \_\_\_\_\_ as a placeholder.


#### **National Curriculum links**

- Read and write numbers up to 1,000 in numerals and words (Y3)
- Identify, represent and estimate numbers using different representations

# **Represent numbers to 1,000**

## **Key learning**

• How many candles are there?




- Write your answer in numerals and words.
- What numbers are represented?


• Use base 10 to represent each number.



• What numbers are represented?









• Annie is drawing place value counters to represent 516 Complete her drawing.






White R©se Maths

# **Represent numbers to 1,000**



#### **Reasoning and problem solving**



# Partition numbers to 1,000



#### Notes and guidance

In this small step, children partition numbers up to 1,000 into hundreds, tens and ones.

Children represent numbers in a part-whole model and identify missing parts and wholes. They write numbers in expanded form, using the part-whole model as support where needed, and identify the number of hundreds, tens and ones in a 3-digit number. Particular attention should be paid to numbers that include zero as a placeholder, to build on learning from the previous step.

Base 10 and place value counters can continue to be used to support children's understanding.

## Things to look out for

- Children may not correctly assign place value to each digit of a number. For example, they may write 423 = 4 + 2 + 3
- Children may not recognise a number represented by a part-whole model, where the parts are not given in value order.
- Children may say that 423 has 20 tens rather than 2 tens, because they confuse place value language.

#### **Key questions**

- How many hundreds/tens/ones are there in 465?
- How do you write a number that has zero tens?
- How do you write a number that has zero ones?
- What number is equal to 300 + 70 + 9?
- What is the value of the missing part? How do you know?
- What is the value of the digit \_\_\_\_\_ in the number \_\_\_\_\_?

#### **Possible sentence stems**

- \_\_\_\_\_ has \_\_\_\_\_ hundreds, \_\_\_\_\_ tens and \_\_\_\_\_ ones.
   \_\_\_\_\_ = \_\_\_\_ + \_\_\_\_\_ + \_\_\_\_\_
- The number that is made up of \_\_\_\_\_ hundreds, \_\_\_\_\_ tens and \_\_\_\_\_ ones is \_\_\_\_\_

#### **National Curriculum links**

- Identify, represent and estimate numbers using different representations
- Recognise the place value of each digit in a 3-digit number (hundreds, tens, ones) (Y3)


#### © White Rose Maths 2022

# Partition numbers to 1,000

#### White Rose Maths


## **Key learning**

• Use the base 10 to help you complete the number sentences.



- Complete the number sentences.
  - ▶ 982 = \_\_\_\_ + \_\_\_\_ + \_\_\_\_
  - ▶ 980 = \_\_\_\_ + \_\_\_\_
  - ▶ 902 = \_\_\_\_ + \_\_\_\_

• Complete the part-whole models.




- Complete the sentences.
  - 259 has \_\_\_\_\_ hundreds, \_\_\_\_\_ tens and \_\_\_\_\_ ones.
  - 813 has 8 \_\_\_\_\_, 1 \_\_\_\_ and 3 \_\_\_\_\_
  - 106 has \_\_\_\_\_ hundred, \_\_\_\_\_ tens and \_\_\_\_\_ ones.
  - has 5 hundreds, 1 ten and 0 ones.
- How many hundreds does the number 907 have?
   How many ones does the number 36 have?
   How many tens does the number 680 have?
- Write in numerals the number that has 7 hundreds, 1 one and 2 tens.

# Partition numbers to 1,000

#### White Rose Maths

## **Reasoning and problem solving**



# Number line to 1,000



#### Notes and guidance

In this small step, children revisit the number line to 1,000, which they were first introduced to in Year 3

Children label, identify and find missing values on blank or partially completed number lines. Using real-life scales, such as rulers and measuring jugs, can be helpful here.

When looking at partially completed number lines, it is important that children become confident in finding the difference between the start and end points and dividing to find the value of each interval. Explicit examples should be used that have a varying number of intervals and unmarked values in different positions.

Children also learn how to work out the value at the midpoint of an interval.

## Things to look out for

- Children may count the number of divisions, rather than the intervals.
- Support may be needed to work out the midpoint of an interval.
- Children may assume the increments on the number line are each worth one unit, focusing solely on the starting number.

### **Key questions**

- What are the values at the start and end points of the number line?
- What is the difference in value between the start and end points?
- How many intervals are there?
- How can you work out what each interval is worth?
- How can you work out the halfway point of an interval?
- What other numbers can you mark on the number line?
- Why are the start and end values of a number line important?

#### **Possible sentence stems**

- The difference in value between the start and end of the number line is \_\_\_\_\_
- There are \_\_\_\_\_ intervals. Each interval is worth \_\_\_\_\_


#### **National Curriculum links**

• Identify, represent and estimate numbers using different representations


# Number line to 1,000

## **Key learning**

• What numbers are the arrows pointing to?



• Complete the sentences for each number line. Label the number lines.




- The difference in value between the start and the end of the number line is \_\_\_\_\_
- There are \_\_\_\_\_ intervals.




• Label 200 and 750 on the number line.



• Label 680 on the number line.



• Draw an arrow to show the position of 550 on each number line.




What do you notice?

White R©se Maths

# Number line to 1,000

#### White R@se Maths

#### **Reasoning and problem solving**



## Thousands



Building on previous steps where children explored numbers up to 1,000, they now explore numbers beyond 1,000

The initial focus of this small step is counting in 1,000s forwards and backwards from any given multiple of 1,000. Number tracks can be used to support this.

Children then look at the composition of multiples of 1,000 by exploring how many hundreds they are made of. They unitise the hundred, being able to state the number of hundreds that make up any 4-digit multiple of 100 or 1,000 such as "20 hundreds are equal to 2,000"

Base 10 and place value counters in a ten frame are helpful when identifying the connection between the number of hundreds that are equal to a multiple of a thousand.

#### Things to look out for

- Children may not appreciate that 1,000 is 10 times the size of 100
- When they are meant to be counting in 1,000s, children may count in the more familiar 100s.
- Children may not use placeholders appropriately.

#### **Key questions**

- Counting in 1,000s from 3,000, what is the next number?
- Counting back in 1,000s from 7,000, tell me a number you would say. How do you know?
- How many thousands are there in 6,000?
- How many hundreds are there in 1,000?
- How many hundreds are there in 6,000?

#### **Possible sentence stems**

- The next multiple of 1,000 is \_\_\_\_\_
- The previous multiple of 1,000 is \_\_\_\_\_
- 1 thousand is equal to \_\_\_\_\_ hundreds, so
  - \_\_\_\_\_ thousands is equal to \_\_\_\_\_ hundreds.
- \_\_\_\_\_ thousands can be written in numerals as \_\_\_\_\_

#### **National Curriculum links**

• Count in multiples of 6, 7, 9, 25 and 1,000

White R©se Maths

# Thousands


## **Key learning**

• How many nails are there?




Write your answer in numerals and words.


• What numbers are represented?



• Complete the number tracks.



- Complete the sentences.
  - ▶ There are \_\_\_\_\_ ones in a thousand.



White Rose Math

- There are \_\_\_\_\_ hundreds in a thousand.
- There are \_\_\_\_\_ tens in a thousand.
- Complete the sentences to match the ten frames.



\_\_\_\_\_ ones = \_\_\_\_\_ tens



\_\_\_\_\_ tens = \_\_\_\_\_ hundreds



\_\_\_\_\_ hundreds = \_\_\_\_\_ thousands

- Complete the sentences.
  - 3 thousand = 3,000

There are \_\_\_\_\_ hundreds in 3 thousand.


thousand = 5,000

There are 50 hundreds in \_\_\_\_\_ thousand.

## Thousands



#### **Reasoning and problem solving**



# **Represent numbers to 10,000**



Building on earlier work, where children looked at numbers to 1,000, this small step focuses on representing numbers to 10,000

Children use different representations such as place value charts and Gattegno charts, which highlight the place value of the digits in the numbers. It is important that children explore the relationship "both ways" between the place value columns, for example, 100 is 10 times the size of 10 and a tenth the size of 1,000

It may be helpful to discuss with children how and why we use a comma when writing numbers, as it can help with reading and writing larger numbers.

Children should experience questions that include zero as a placeholder to represent a blank column in a place value chart.

## Things to look out for

- Numbers may be written incorrectly, for example 2,342 as 2000300402
- When using blank counters on a place value chart, children may not make the connection between the column and the value of the counter.
- Children may forget to use zero as a placeholder.

#### **Key questions**

- What number is represented?
- What is the value of each digit?
- Represent 4,672 using base 10/place value counters.
   How many thousands, hundreds, tens and ones are in the number?
- How would you represent 6,000 + 0 + 60 + 9 in the place value chart?
- How do you know the counter in the thousands column has a greater value than the counter in the ones column?

#### **Possible sentence stems**

There are \_\_\_\_\_ thousands, \_\_\_\_\_ hundreds, \_\_\_\_\_ tens

and \_\_\_\_\_ ones.

The number is \_\_\_\_\_

#### **National Curriculum links**

- Recognise the place value of each digit in a 4-digit number (thousands, hundreds, tens and ones)
- Identify, represent and estimate numbers using different representations






# **Represent numbers to 10,000**

## **Key learning**


• Complete the sentences.



• Use base 10 to represent each number.




• Complete the sentences.



There are \_\_\_\_\_ thousands, \_\_\_\_\_ hundreds, \_\_\_\_\_ tens and \_\_\_\_\_ ones.

The number is \_\_\_\_\_

What numbers are represented on the place value charts?



Write your answers in words and numerals. What is the same and what is different about the place value charts?

• Use plain counters to represent each number on a place value chart.



• Complete the Gattegno chart to represent the number 5,326


1,000	2,000	3,000	4,000	5,000	6,000	7,000	8,000	9,000
100	200	300	400	500	600	700	800	900
10	20	30	40	50	60	70	80	90
1	2	3	4	5	6	7	8	9

Rose

# **Represent numbers to 10,000**



#### **Reasoning and problem solving**



# Partition numbers to 10,000

#### Notes and guidance

The focus of this small step is to ensure that children have a secure understanding of place value with 4-digit numbers.

Children partition a number up to 10,000 by identifying the number of thousands, hundreds, tens and ones. They should give their answers using numerals, words and expanded form, for example 5,346 = 5 thousands, 3 hundreds, 4 tens and 6 ones or 5,000 + 300 + 40 + 6

The familiar representations used earlier in the block can help children to understand the value of each digit. A part-whole model can also support children in partitioning numbers.

Children should experience questions that include zero as a placeholder, so they understand this cannot be omitted, minimising the misconception that 5,006 = 56

## **Key questions**

- What number is represented?
- How many thousands/hundreds/tens/ones are there in the number \_\_\_\_\_?
- What is the value of each digit in 4,715?
- Does the order in which you partition the number matter?
- What number is equal to 7,000 + 0 + 30 + 4?
- What does a zero in a place value column tell you?

#### **Possible sentence stems**

 \_\_\_\_\_ has \_\_\_\_\_ thousands, \_\_\_\_\_ hundreds, \_\_\_\_\_ tens and \_\_\_\_\_ ones.

\_\_\_\_\_ = \_\_\_\_\_ + \_\_\_\_\_ + \_\_\_\_\_ + \_\_\_\_\_

#### Things to look out for

- Children may not associate the digits with their value and just write, for example, 7,645 = 7 + 6 + 4 + 5
- Partitioned numbers that are presented "out of order" may lead to errors, for example 7,000 + 3 + 20 + 700 = 7,327
- Children may omit zero as a placeholder.


#### **National Curriculum links**

- Recognise the place value of each digit in a 4-digit number (thousands, hundreds, tens and ones)
- Identify, represent and estimate numbers using different representations

# Partition numbers to 10,000

## **Key learning**

• Complete the number sentence.




• Complete the number sentences.

Thousands	Hundreds	Tens	Ones
8 8 8	100 100 100 100	10	11

3,412 = \_\_\_\_\_ + \_\_\_\_\_ + \_\_\_\_\_ + \_\_\_\_\_

= \_\_\_\_\_ + \_\_\_\_\_ + \_\_\_\_\_ + \_\_\_\_\_




Use the Gattegno chart to complete the number sentences.

1,000	2,000	3,000	4,000	5,000	6,000	7,000	8,000	9,000
100	200	300	400	500	600	700	800	900
10	20	30	40	50	60	70	80	90
1	2	3	4	5	6	7	8	9

There are \_\_\_\_\_ thousands, \_\_\_\_\_ hundreds, \_\_\_\_\_ tens and \_\_\_\_\_ ones.

The number is \_\_\_\_\_

• Complete the part-whole models.




- Complete the sentences.
  - 7,812 is equal to \_\_\_\_\_ thousands, \_\_\_\_\_ hundreds, \_\_\_\_\_ tens and \_\_\_\_\_ ones.
  - is equal to 3 thousands, 4 hundreds, 0 tens and 9 ones.
  - = 8,000 + 40 + 3



# Partition numbers to 10,000



#### **Reasoning and problem solving**



# Flexible partitioning of numbers to 10,000

#### Notes and guidance

In this small step, children explore flexible partitioning of numbers up to 10,000, understanding that the whole number can be split into parts in many different ways.

Children use numerals, words and expanded form in their partitioning. A key focus should be appreciating that, for example, 6,000 + 400 + 20 + 9 = 5,000 + 1,400 + 20 + 9, as this is crucial to understanding addition and subtraction of 4-digit numbers in future blocks.

The representations used in previous small steps can provide support, arranging place value counters or base 10 to appreciate that the different partitions give the same number. When working in adjacent columns in a place value chart, links should be made to exchanges as this will support learning in later blocks.

## Things to look out for

- Children may believe that 4-digit numbers can only be partitioned one way into thousands, hundreds, tens and ones.
- When identifying a number that has been partitioned in a non-standard way, children may just combine the digits rather than consider their place value, for example 5,000 + 1,400 + 20 + 9 = 51,429

#### **Key questions**

- How can you write the number using a part-whole model?
- What different multiples of 1,000 could be the first part? How does this affect the values of the other parts?
- What can you exchange the thousands/hundreds/tens/ones digit for?
- How do you work out the whole, given the parts?

#### **Possible sentence stems**

- \_\_\_\_\_ is equal to \_\_\_\_\_ thousands, \_\_\_\_\_ hundreds,
  - \_\_\_\_\_ tens and \_\_\_\_\_ ones or \_\_\_\_\_ thousands,
  - \_\_\_\_\_ hundreds, \_\_\_\_\_ tens and\_\_\_\_\_ ones.
- \_\_\_\_\_= \_\_\_\_+ \_\_\_\_+ \_\_\_\_\_+ \_\_\_\_\_
  - or \_\_\_\_\_ + \_\_\_\_\_ + \_\_\_\_\_ + \_\_\_\_\_


#### **National Curriculum links**

- Recognise the place value of each digit in a 4-digit number (thousands, hundreds, tens and ones)
- Identify, represent and estimate numbers using different representations



# Flexible partitioning of numbers to 10,000

## **Key learning**




How else can 2,323 be partitioned?

• Use the place value chart to complete the number sentences.




- 2,339 = 2,000 + \_\_\_\_\_ + 30 + 9
- 2,339 = 2,000 + 300 + \_\_\_\_\_ + 19
- 2,339 = 1,000 + \_\_\_\_\_ + 30 + 9

Complete the part-whole models.



What is the same and what is different?

• Here is one way of partitioning 5,426 into two parts.



Find three other ways of partitioning 5,426 into two parts. Compare answers with a partner.

- Complete the number sentences.
  - 8,432 = 7,000 + \_\_\_\_\_ + 31
  - 6,729 = 3,000 + \_\_\_\_\_ + 19 + \_\_\_\_\_
  - ▶ 9,310 = \_\_\_\_\_ + 110 + \_\_\_\_\_

Is there more than one way of completing each sentence?




# Flexible partitioning of numbers to 10,000

#### **Reasoning and problem solving**


Some place value counters are hidden.

The total is six thousand, four hundred and thirty-two.



Which place value counters could be hidden?

Find at least three solutions.





# Find 1, 10, 100, 1,000 more or less

#### Notes and guidance

In Year 3, children found 1, 10 and 100 more or less than a 3-digit number. In this small step, they find 1, 10, 100 and 1,000 more or less than a number with up to four digits.

Using base 10, place value counters and plain counters in a place value chart will support understanding, particularly when multiples of 10/100/1,000 are crossed. It is also important to explore examples that result in zero as a placeholder, as this concept needs regular reinforcing.

Draw attention to which place value columns change and which stay the same in each example. This allows children to generalise that, for example, when finding 100 more/less, the ones and tens never change, the hundreds always change and the thousands sometimes change.

#### Things to look out for

- Calculations that cross a boundary may cause confusion.
- Children may need support with the use of zero as a placeholder.
- Children may think that when finding, for example, 100 less than a number, only the digit in the hundreds column will ever change.

#### **Key questions**

- How many ones/tens/hundreds/thousands are in \_\_\_\_\_?
   How will the number change if you add an extra 1/10/100/1,000?
- Which column changes if you find 1,000 more/less than a number?
- Can finding 1/10/100 more/less change more than one column? When does this happen?
- Do you need to make an exchange?
- How can you find 100 less than 8,012? What exchange do you need to make?
- Which columns stay the same/change?

#### **Possible sentence stems**

- There are \_\_\_\_\_ tens/hundreds/thousands in \_\_\_\_\_
- 1 more/less ten than \_\_\_\_\_ tens is \_\_\_\_\_ tens.
- \_\_\_\_\_ more/less than \_\_\_\_\_ is \_\_\_\_\_

#### **National Curriculum links**

• Find 1,000 more or less than a given number



# Find 1, 10, 100, 1,000 more or less

#### **Key learning**

• Complete the sentences.




- The number is \_\_\_\_\_
- 1 less than the number is \_\_\_\_\_
- 10 less than the number is \_\_\_\_\_
- 100 less than the number is \_\_\_\_\_
- 1,000 less than the number is \_\_\_\_\_
- Complete the sentences.



- The number is \_\_\_\_\_
- 1 more than the number is \_\_\_\_\_
- 10 more than the number is \_\_\_\_\_
- 100 more than the number is \_\_\_\_\_
- 1,000 more than the number is \_\_\_\_\_

• The place value chart shows that 100 more than 4,932 is 5,032



Use this method to find the values.




• The place value chart shows that 10 less than 3,402 is 3,392

Thousands	Hundreds	Tens	Ones


Use this method to find the values.

100 less than 2,034





# Find 1, 10, 100, 1,000 more or less





# Number line to 10,000



#### Notes and guidance

Building on previous learning of number lines to 1,000, children now move on to look at number lines to 10,000

Children label, identify and find missing values on blank or partially completed number lines. Using real-life scales, such as rulers and measuring jugs, can be helpful here.

When looking at partially completed number lines, it is important children become confident in finding the difference between the start and end points and dividing to find the value of each interval. Examples should be used that have a varying number of intervals and unmarked values in different positions.

Children should also be able to work out the value at the midpoint of an interval.

# Things to look out for

- Children may count the number of divisions, rather than the intervals.
- Support may be needed to work out the midpoint of an interval.
- Children may assume the increments on the number line are each worth one unit, focusing solely on the starting number.

#### **Key questions**

- What are the values at the start and end points of the number line?
- What is the difference in value between the start and end points?
- How many intervals are there?
- How can you work out what each interval is worth?
- How can you work out the halfway point of an interval?
- What other numbers can you mark on the number line?
- Why are the start and end values of a number line important?

#### **Possible sentence stems**

- The difference in value between the start and end of the number line is \_\_\_\_\_
- There are \_\_\_\_\_ intervals. Each interval is worth \_\_\_\_\_


#### **National Curriculum links**

- Identify, represent and estimate numbers using different representations
- Order and compare numbers beyond 1,000


# Number line to 10,000

### **Key learning**


• What numbers are the arrows pointing to?




• Label the number lines.



• Mark the positions of the numbers on the number line.



• Label 5,100 and three other numbers on the number line.



Compare answers with a partner.

• For each number line, estimate the number the arrow is pointing to.




What do you notice?

White R©se Maths

# Number line to 10,000





# Estimate on a number line to 10,000

#### Notes and guidance

In previous years, children explored estimating on number lines. In this small step, they estimate on number lines up to 10,000

Children discuss suitable estimates from the information given on the number line and the value of each interval, justifying their choices. Encourage children to identify the midpoint and to mark on additional points, for example one-quarter and three-quarters of the way along, to help them position the numbers.

It may be useful to consider the position of numbers relative to the midpoint of a number line, for example 6,429 is closer to 6,000 than 7,000 and it is less than halfway between the two points. This will be a useful skill later in the block when children look at rounding.

#### Things to look out for

- Children may worry that they need to find the exact position or value.
- The scale may be misinterpreted, for example thinking a mark close to 10,000 is 9,999 when 9,000 would be more appropriate.

#### **Key questions**

- What is the midpoint of the number line?
- How does knowing the midpoint help you to place the number on the number line?
- What other numbers could you mark on accurately?
- Which division is the arrow close to? Is the number greater than or less than this value?
- How would splitting the line into more intervals help?
- How accurate do you think your estimate is?

#### **Possible sentence stems**

- The difference in value between the start and end of the number line is \_\_\_\_\_
- The midpoint of the number line is \_\_\_\_\_
- \_\_\_\_\_ is closer to \_\_\_\_\_ than \_\_\_\_\_

#### **National Curriculum links**


- Identify, represent and estimate numbers using different representations
- Order and compare numbers beyond 1,000




# Estimate on a number line to 10,000

#### **Key learning**


Mark the midpoint of each number line.
 What number does each midpoint represent?




• Estimate the numbers the arrows are pointing to.



• Alex and Dexter are marking 8,000 on the number line.



• Draw arrows to show the approximate positions of the numbers on the number line.




Compare methods with a partner.



White R©se Maths

# Estimate on a number line to 10,000

#### **Reasoning and problem solving**



White R©se Maths

# **Compare numbers to 10,000**



#### Notes and guidance

This small step focuses on comparing numbers up to 10,000 using language such as greater/smaller than, less/more than. Once they are confident with the language used for comparisons, children progress to using the inequality symbols, <, > and =, which they have encountered in previous years.

Representations such as base 10, place value counters and charts, and number lines support children's understanding of place value, allowing them to compare numbers visually before moving on to more abstract forms.

Demonstrate to children that when comparing numbers, they need to start with the greatest place value. If the digit in the greatest place value is the same, they need to look at columns to the right until they find different digits.

#### Things to look out for

- When comparing numbers, children may compare the smallest place value first.
- Children may interpret the inequality symbols incorrectly, confusing < and >
- Children may be confused by numbers with a different number of digits or numbers that contain placeholders.

#### **Key questions**

- What is the value of the first digit in \_\_\_\_\_?
- What is the value of the \_\_\_\_\_ digit in \_\_\_\_\_?
- How many thousands/hundreds/tens/ones are there?
- Which column do you start comparing from?
- Which digit in each number has the greatest value? What is the value of these digits?
- When comparing two numbers, if the first digits are equal in value, what do you look at next?
- Which is the greater number? How do you know?

#### **Possible sentence stems**

- If the digits in the \_\_\_\_\_ column are the same, I need to look in the \_\_\_\_\_ column.
- \_\_\_\_\_ is greater than \_\_\_\_\_ because ...
- \_\_\_\_\_ is less than \_\_\_\_\_ because ...


#### **National Curriculum links**

• Order and compare numbers beyond 1,000

# Compare numbers to 10,000

### **Key learning**

Which is the greater number? How do you know?






Complete the sentences.

\_\_\_\_ is less than \_\_\_\_\_

\_\_\_\_ is greater than \_\_\_\_\_

• Write <, > or = to compare the numbers.




• A laptop costs £2,453

A TV costs £2,435

Which item is more expensive?




• Complete the statements.



8,034 is \_\_\_\_\_ than 8,029 8,029 8,034


• Write <, > or = to compare the numbers.





# **Compare numbers to 10,000**





# Order numbers to 10,000



#### Notes and guidance

In this small step, children order a set of numbers up to 10,000

Children order numbers from the smallest to the greatest and the greatest to the smallest. They also use language such as "ascending" and "descending" when putting the numbers in order. Children are given examples where the same digit is used in the thousands or the hundreds column so that they need to look at the other digits to determine the value. They also include zero in different places to check understanding of placeholders.

Base 10 and place value counters are used to represent numbers to help children make comparisons. Making links with numbers in real-life situations, such as prices and measurements, is also useful.

# Things to look out for

- Children may just look at the digits and not consider the place value.
- Children may need to be reminded of the meanings of the words "ascending" and "descending".
- Children may need to be reminded about inequality symbols and their meanings.

#### **Key questions**

- Which digit in each number has the greatest value? What are the values of these digits?
- When comparing two numbers with the same number of digits, if the first digits are equal in value, what do you look at next?
- What is the difference between ascending and descending order?
- What is different about comparing numbers with the same number of digits and comparing numbers with different numbers of digits?

#### Possible sentence stems

- \_\_\_\_\_ is greater than \_\_\_\_\_, so \_\_\_\_\_ thousand is greater than \_\_\_\_\_ thousand.
- \_\_\_\_\_ is less than \_\_\_\_\_, so \_\_\_\_\_ thousand is less than \_\_\_\_\_ thousand.

#### **National Curriculum links**


• Order and compare numbers beyond 1,000

# Order numbers to 10,000




#### **Key learning**

Nijah, Dani and Brett are making numbers with base 10



Who has made the greatest number? Who has made the smallest number? How do you know?

Tom makes four numbers using place value counters. .




Write Tom's numbers in order, from the smallest to the greatest.

0

0

• Here are four digit cards.



Arrange them to make five different 4-digit numbers.


Put your numbers in ascending order.

Put four counters in the place value chart to make • six different numbers.


Thousands	Hundreds	Tens	Ones	

Write your numbers in descending order.

Write the amounts in order. Start with the smallest amount. .




Write the measurements in order. Start with the greatest measurement.



# Order numbers to 10,000





# **Roman numerals**



#### Notes and guidance

Children build on their knowledge of Roman numerals from 1 to 12 on a clock face, and learn that L represents 50 and C represents 100

Children explore the similarities and differences between the Roman number system and our number system, understanding that the Roman system does not have a zero and does not use placeholders. They are already familiar with the idea that, for example, 4 is written as IV rather than IIII, and they apply the same concept to write 40 as XL and 90 as XC.

Roman numerals can be revisited later in this block (for example, rounding XXV to the nearest 10) or within the addition and subtraction block.

#### Things to look out for

- Children may mix up which letter stands for which number.
- Children may add the individual values together instead of interpreting the values based on their position, for example interpreting XC as 110 instead of 90
- It is more difficult to convert numbers that require large strings of Roman numerals.
- Children may think that numbers like 99 can be written as IC instead of XCIX.

#### **Key questions**

- What patterns can you see in the Roman number system?
- What rules do you use when converting numbers to Roman numerals?
- What letters are used in the Roman number system? What does each letter represent?
- How do you know what order to write the letters in when using Roman numerals?
- What is the same and what is different about representing the number twenty-nine in the Roman number system and our number system?

#### **Possible sentence stems**

- The letter \_\_\_\_\_ represents the number \_\_\_\_\_
- I know \_\_\_\_\_ is greater than \_\_\_\_\_ because \_\_\_\_\_


#### **National Curriculum links**

 Read Roman numerals to 100 (I to C) and know that over time, the numeral system changed to include the concept of zero and place value


# Roman numerals

### **Key learning**

• Write each number in Roman numerals.




• Four numbers are written in Roman numerals.





What are the numbers?


• Each diagram should show a number in numerals, words and Roman numerals.

Complete the diagrams.












• Choose the correct answer to each calculation.



• Complete the function machines.




• Write <, > or = to complete the statements.



# **Roman numerals**







#### Notes and guidance

In this small step, children are introduced to rounding for the first time, starting with rounding to the nearest 10

Children begin by focusing on rounding 2-digit numbers, as it is clearer what the previous and next multiples of 10 are. When building on this and starting to round 3-digit numbers, it is important to include examples that have zero as a placeholder in the tens column, for example 304, as children can often think that 300 is not a multiple of 10 because it is a multiple of 100

Number lines can be used not only to identify the previous and next multiple of 10, but also which multiple of 10 a number is closer to. Children should understand the convention that when the ones digit is 5, they round to the next multiple of 10

Avoid using language such as "round up" and "round down", as this can create misconceptions.

#### Things to look out for

- Children may look at the wrong column when deciding which way to round, and use the tens column instead of the ones column.
- Children may think that, for example, 52 "rounds down" and give the result as 42 or 40

#### **Key questions**

- What is the multiple of 10 after \_\_\_\_\_?
- What is the multiple of 10 before \_\_\_\_\_?
- Which multiple of 10 is \_\_\_\_\_ closer to? How do you know?
- Which numbers rounded to the nearest 10 result in zero?
- Which place value column do you need to look at to decide which multiple to round to?
- What numbers when rounded to the nearest 10 give the result 50/500?

#### **Possible sentence stems**


- The two multiples of 10 the number lies between are \_\_\_\_\_\_ and \_\_\_\_\_
- \_\_\_\_\_ is closer to \_\_\_\_\_ than \_\_\_\_\_
- \_\_\_\_\_ rounded to the nearest 10 is \_\_\_\_\_

#### **National Curriculum links**


• Round any number to the nearest 10, 100 or 1,000

#### White Rose Maths

#### **Key learning**









#### Notes and guidance

Building on the previous step, children now begin to round numbers to the nearest 100

Children begin by focusing on rounding 3-digit numbers, as it is clearer what the previous and next multiples of 100 are. It is important to discuss what is the same and what is different when rounding numbers to 10 and 100. By doing this, children can begin to understand that when asked to round to a given amount, they need to look at the next place value column to the right.

It is helpful to use examples that are less than 50, so children see that these round to the previous multiple of 100, which is zero.

As in the previous step, avoid using language such as "round up" and "round down", as this can create misconceptions.

#### Things to look out for

- Children may look at the wrong column to decide which way to round and use the hundreds column instead of the tens column.
- Children may focus on rules about "up" and "down" instead of looking at multiples of 100, for example rounding 432 to 402 or 332

#### **Key questions**

- What is the multiple of 100 after \_\_\_\_\_?
- What is the multiple of 100 before \_\_\_\_\_?
- Which multiple of 100 is \_\_\_\_\_ closer to? How do you know?
- Which numbers rounded to the nearest 100 result in zero?
- Which place value column do you need to look at to decide which multiple to round to?
- What is the same and what is different about rounding to the nearest 10 and rounding to the nearest 100?

#### **Possible sentence stems**

• The two multiples of 100 the number lies between are \_\_\_\_\_

and \_\_\_\_\_


- \_\_\_\_\_ is closer to \_\_\_\_\_ than \_\_\_\_\_
- \_\_\_\_\_ rounded to the nearest 100 is \_\_\_\_\_

#### **National Curriculum links**

• Round any number to the nearest 10, 100 or 1,000

#### **Key learning**

• Which multiples of 100 do the numbers lie between?




Use the number line to help you complete the sentences.

340 is closer to \_\_\_\_\_ than \_\_\_\_\_


340 rounded to the nearest 100 is \_\_\_\_\_

• Complete the number line and the sentences.




- 1,610 is closer to \_\_\_\_\_ than \_\_\_\_\_
- 1,610 rounded to the nearest 100 is \_\_\_\_\_
- 1,681 is closer to \_\_\_\_\_ than \_\_\_\_\_
- 1,681 rounded to the nearest 100 is \_\_\_\_\_
- 1,650 rounded to the nearest 100 is \_\_\_\_\_

• Round each number to the nearest 100



Round each number to the nearest 100







#### **Reasoning and problem solving**




To the nearest 100, there are 600 people at a football match.

What is the smallest number of people that could be at the football match?

What is the greatest number of people that could be at the football match?

How would your answers change if the number of people at the football match was 600 when rounded to the nearest 10?



#### Notes and guidance

Building on the previous small steps, children round numbers to the nearest 1,000

Children begin by discussing which multiple of 1,000 a number is closest to. They can then identify that if the digit in the hundreds column is between zero and 4, they round to the previous multiple of 1,000, but if the digit in the hundreds column is 5 or above, they round to the next multiple of 1,000

Children make links with rounding numbers to the nearest 10 or 100, all of which are explored in the next step.

It is helpful to use examples that are less than 500, so children see that these round to the previous multiple of 1,000, which is zero.

As in the previous steps, avoid language such as "round up" and "round down", as this can create misconceptions.

#### Things to look out for

- Children may look at the wrong column to decide which way to round and use the thousands column instead of the hundreds column.
- Children may focus on rules about "up" and "down" instead of looking at multiples of 1,000, for example rounding 6,432 to 5,432

#### **Key questions**

- What is the multiple of 1,000 after \_\_\_\_\_?
- What is the multiple of 1,000 before \_\_\_\_\_?
- Which multiple of 1,000 is \_\_\_\_\_ closer to? How do you know?
- Which numbers rounded to the nearest 1,000 result in zero?
- Which place value column do you need to look at to decide which multiple to round to?
- What is the same and what is different about rounding to the nearest 10, 100 and 1,000?


#### **Possible sentence stems**

- The two multiples of 1,000 the number lies between are \_\_\_\_\_ and \_\_\_\_\_
- \_\_\_\_\_ is closer to \_\_\_\_\_ than \_\_\_\_\_
- \_\_\_\_\_ rounded to the nearest 1,000 is \_\_\_\_\_

#### **National Curriculum links**


• Round any number to the nearest 10, 100 or 1,000

#### **Key learning**



8,550 rounded to the nearest 1,000 is \_\_\_\_\_


• Round each number to the nearest 1,000



• Which numbers round to 9,000 to the nearest 1,000?


8 000	0.004	000	0 400	8,750	10 000
0,099	5,054	0,999	5,455	0,750	10,000

• Round each number to the nearest 1,000



White Rose Maths





# Round to the nearest 10, 100 or 1,000

#### Notes and guidance

In this small step, children round to the nearest 10, 100 or 1,000, choosing the appropriate columns to look at.

Discuss with children what is the same and what is different when rounding numbers to the nearest 10, 100 or 1,000. Ensure children understand that when asked to round to a given amount, they need to look at the place value column to the right of that of the required accuracy to decide whether to round to the previous or next multiple. It is worth discussing with children when each degree of accuracy is more appropriate.

As with the previous steps, avoid language such as "round up" and "round down", as this can create misconceptions.

#### Things to look out for

- When rounding numbers to different degrees of accuracy, children may look at the wrong column(s).
- Children may not realise that the answer can be the same when a number is rounded to different degrees of accuracy.
- When rounding the same number to different degrees of accuracy, children may not always use the starting number but, for example, round it to the nearest 10, then round this value to the nearest 100 and so on.

#### **Key questions**

- What is the multiple of 10/100/1,000 after \_\_\_\_\_?
- What is the multiple of 10/100/1,000 before \_\_\_\_\_?
- Which multiple of 10/100/1,000 is \_\_\_\_\_ closer to? How do you know?
- Which numbers rounded to the nearest 10/100/1,000 result in zero?
- Which place value column do you need to look at to decide which multiple to round to?
- What is the same and what is different about rounding to the nearest 10, 100 and 1,000?

#### **Possible sentence stems**

- The two multiples of 10/100/1,000 the number lies between are \_\_\_\_\_ and \_\_\_\_\_
- \_\_\_\_\_ is closer to \_\_\_\_\_ than \_\_\_\_\_
- \_\_\_\_\_ rounded to the nearest 10/100/1,000 is \_\_\_\_\_

#### **National Curriculum links**

• Round any number to the nearest 10, 100 or 1,000

White Rose Maths

# Round to the nearest 10, 100 or 1,000

Draw an arrow to mark 376 on each number line.

#### **Key learning**

Complete the sentences. 370 380 376 rounded to the nearest 10 is \_\_\_\_\_ 300 400 376 rounded to the nearest 100 is \_\_\_\_\_ 0 1,000 376 rounded to the nearest 1,000 is \_\_\_\_\_ Here is a number. Th Т Н 0

100 100

100 100

10 10

10 10

(10) (10)

Round the number to the nearest 10, 100 and 1,000

1,000 1,000

1,000

Complete the table.

Number	7,126	4,996	2,006	499
Rounded to the nearest 10				
Rounded to the nearest 100				
Rounded to the nearest 1,000				


- A baker uses 4,285 g of flour.
   Round the mass of flour to the nearest 100 g.
   Round the mass of flour to the nearest 10 g.
   Round the mass of flour to the nearest kilogram.
   Which do you think is the most appropriate way of rounding the number?
- A school fete raises £2,166

Round this amount to the nearest £10, nearest £100 and nearest £1,000

Which do you think is the most appropriate way of rounding the number?



# Round to the nearest 10, 100 or 1,000






# Autumn Block 2 Addition and subtraction



© White Rose Maths 2022 Maths

# Small steps







# Small steps



Step 9	Estimate answers
Step 10	Checking strategies



# Add and subtract 1s, 10s, 100s and 1,000s

#### Notes and guidance

In Year 3, children explored adding and subtracting 1s, 10s and 100s to/from any 3-digit number, including using a mental strategy when crossing a multiple of 10 or 100

In this small step, children recap this learning and extend their understanding to dealing with 4-digit numbers and adding and subtracting multiples of 1,000. The focus is on mental rather than written strategies, which are covered later in the block.

It is important to explore the effect of either adding or subtracting a multiple of 1, 10, 100 or 1,000 by discussing which columns always, sometimes and never change. For example, when adding a multiple of 100, the ones and tens never change, the hundreds always change and the thousands sometimes change, depending on the need to make an exchange.

#### Things to look out for

- Children may identify the incorrect place value column, particularly if they are using plain counters in a place value chart, for example 3,469 – 300 = 469 or 3,439
- Confusion may arise with zero as a placeholder.
- Children may find crossing the next or previous multiple challenging.

#### **Key questions**

- If you know 2 + 4 = 6, what else do you know?
- How will you partition \_\_\_\_\_? Why?
- Will the value in the ones/tens/hundreds/thousands column increase or decrease? By how much?
- Which place value columns have changed/stayed the same? Why?
- What is the inverse of subtracting 300?

#### **Possible sentence stems**

- The next/previous multiple of 10/100/1,000 is \_\_\_\_\_
- I can partition \_\_\_\_\_ into \_\_\_\_\_ and \_\_\_\_\_ because ...
- The value of the \_\_\_\_\_ column will increase/decrease by \_\_\_\_\_

#### **National Curriculum links**


- Add and subtract numbers with up to four digits using the formal written methods of columnar addition and subtraction where appropriate
- Solve addition and subtraction two-step problems in contexts, deciding which operations and methods to use and why



# Add and subtract 1s, 10s, 100s and 1,000s

#### **Key learning**

• Complete the part-whole models and number sentences.




What do you notice?


- Use a place value chart to help you complete the number sentences.
  - ▶ 1,364 + 3 = \_\_\_\_ ▶ 1,364 1 = \_\_\_\_
  - ▶ 1,364 + 30 = \_\_\_\_ ▶ 1,364 60 = \_\_\_\_
  - ▶ 1,364 + 300 = \_\_\_\_
    ▶ 1,364 200 = \_\_\_\_
  - ▶ 1,364 + 6,000 = \_\_\_\_
    ▶ 1,364 1,000 = \_\_\_\_

What do you notice? What stays the same and what changes?

• Amir and Whitney are using number lines to add and subtract.



Use this method to work out the calculations.




There are 1,286 patients and doctors in a hospital.
 300 patients leave after being treated.
 Another 90 patients arrive.

7 doctors leave.

How many patients and doctors are in the hospital now?

White Rose Maths

# Add and subtract 1s, 10s, 100s and 1,000s



## Add up to two 4-digit numbers – no exchange

#### Notes and guidance

In Year 3, children used the formal written method to add two 2- or 3-digit numbers, with up to two exchanges. In this block, that learning is extended to include 4-digit numbers. In this small step, they add 3- or 4-digit numbers with no exchanges, using concrete resources as well as the formal written method.

The numbers being added together may have a different number of digits, so children need to take care to line up the digits correctly. Even though there will be no exchanging, the children should be encouraged to begin adding from the ones column. When working within each column, ask, "Do you have enough ones/tens/hundreds to make an exchange?" This will prepare them for future small steps where exchanging will be necessary.

## Things to look out for

- Children may not line up the digits in the place value columns correctly.
- Children may assume they should start adding from left to right. Be careful as this may appear to be a good strategy given there are no exchanges required in this small step.
- Children may not use zero as a placeholder when there are no hundreds, tens or ones.

## **Key questions**

- How can you represent the question using base 10?
- How can you put these numbers into a place value chart?
- Does it matter which columns you add together first?
- Do you have enough ones/tens/hundreds to make an exchange?
- What do you write in the tens column if there are no tens?

#### **Possible sentence stems**

- \_\_\_\_\_ ones added to \_\_\_\_\_ ones is equal to \_\_\_\_\_ ones.
- \_\_\_\_\_ added to \_\_\_\_\_ is equal to \_\_\_\_\_
- I have \_\_\_\_\_ ones, so I do/do not need to make an exchange.

#### **National Curriculum links**


- Add and subtract numbers with up to four digits using the formal written methods of columnar addition and subtraction where appropriate
- Solve addition and subtraction two-step problems in contexts, deciding which operations and methods to use and why



## Add up to two 4-digit numbers – no exchange


## **Key learning**

Use counters and a place value chart to work out 3,256 + 2,532




	Th	Η	Т	0
	3	2	5	6
+	2	5	3	2

• Complete the additions.




	Th	Η	Т	0	
	3	1	4	2	
+		5	3	7	
	Th	Н	Т	0	
	<b>Th</b> 2	Н 7	<b>T</b> 0	<b>0</b> 6	
+					
+		7	0	6	

• Fill in the missing numbers.



• Work out the missing numbers.




• Tommy walks 3,420 m.

Eva walks 356 m.

How far do they walk altogether?

## Add up to two 4-digit numbers – no exchange

## **Reasoning and problem solving**



## Add two 4-digit numbers – one exchange

#### Notes and guidance

Building on the previous small step, children now add two 4-digit numbers with one exchange in any column. In Year 3, they explored 3-digit addition with up to two exchanges, so they should be familiar with the process.

The numbers can be made using concrete manipulatives such as place value counters in a place value chart, alongside the formal written method. When discussing where to start an addition, it is important to use language such as begin from the "smallest value column" rather than the "ones column" to avoid any misconceptions when decimals are introduced later in the year. After each column is added, ask, "Do you have enough ones/ tens/hundreds to make an exchange?" This question will be an important one in this small step, as the children do not know which column will be the one where an exchange is needed.

## Things to look out for

- Children may not line up the digits in the place value columns correctly.
- Children may not add up from the smallest value column, and so will not be able to exchange correctly.
- Children may not use zero as a placeholder when there are no hundreds, tens or ones.

#### **Key questions**

- How many thousands/hundreds/tens/ones are there altogether?
- What is \_\_\_\_\_ more than \_\_\_\_?
- Does it matter which columns you add together first?
- Do you have enough ones/tens/hundreds to make an exchange?
- When exchanging 10 hundreds, where do you put the thousand?

#### **Possible sentence stems**

- \_\_\_\_\_ ones added to \_\_\_\_\_\_ ones is equal to \_\_\_\_\_\_ ones.
- \_\_\_\_\_ added to \_\_\_\_\_ is equal to \_\_\_\_\_
- I have \_\_\_\_\_ hundreds, so I do/do not need to make an exchange.
- I can exchange 10 \_\_\_\_\_ for 1 \_\_\_\_\_

#### **National Curriculum links**


- Add and subtract numbers with up to four digits using the formal written methods of columnar addition and subtraction where appropriate
- Solve addition and subtraction two-step problems in contexts, deciding which operations and methods to use and why




## Add two 4-digit numbers – one exchange


## **Key learning**

• Kim uses counters to find the total of 3,356 and 2,435







Use Kim's method to work out the additions.



• Complete the bar models.





- Find the sum of 6,825 and 1,344
- Brett has 3,436 marbles.


Huan has 1,293 more marbles than Brett. How many marbles does Huan have?

Brett	3,436	1,293
Huan		

• Esther has 1,214 stickers.

Sam has 1,123 more stickers than Esther.

How many stickers do they have altogether?




• Eva has 1,434 pennies.

Tom has 1,158 more pennies than Eva.

How many pennies does Tom have?

## Add two 4-digit numbers – one exchange

#### **Reasoning and problem solving**



## Add two 4-digit numbers – more than one exchange

## Notes and guidance

Building on the previous small step, children now add two 4-digit numbers with more than one exchange.

The numbers are made using place value counters in a place value chart alongside the formal written method. The addition begins from the smallest value column. After each column is added, ask, "Do you have enough ones/tens/hundreds to make an exchange?" This question is important at every stage as there will be more than one exchange to make. With more than one exchange, it is important to model the correct place to write the number exchanged and to add it to the next column.

## Things to look out for

- Children may not line up the digits in the place value columns correctly, especially the digits created by exchanging.
- Children may forget to add from the smallest value column first.
- Children may not realise that two digits that look as though they will not total enough to make an exchange could do so once an exchange has happened, for example 5 + 4 plus an extra 1 exchanged from the previous column.

#### **Key questions**

- How many ones/tens/hundreds/thousands are there in total?
- What is \_\_\_\_\_ more than \_\_\_\_\_?
- Does it matter which columns you add together first?
- Do you have enough ones/tens/hundreds to make an exchange?
- How can you make an exchange in more than one column in the same addition?

#### **Possible sentence stems**

- \_\_\_\_\_ ones added to \_\_\_\_\_ ones is equal to \_\_\_\_\_ ones.
- \_\_\_\_\_ plus \_\_\_\_\_ plus the 1 that I exchanged from the last column is equal to \_\_\_\_\_\_
- I have \_\_\_\_\_ hundreds/tens/ones, so I do/do not need to make an exchange.

#### **National Curriculum links**

- Add and subtract numbers with up to four digits using the formal written methods of columnar addition and subtraction where appropriate
- Solve addition and subtraction two-step problems in contexts, deciding which operations and methods to use and why






## Add two 4-digit numbers – more than one exchange

## **Key learning**

• Nijah uses place value counters to help her work out 4,673 + 1,518




	Th	Н	Т	0
	4	6	7	3
+	1	5	1	8
	6	1	9	1
	1		1	


Use Nijah's method to work out the additions.


	Th	Н	Т	0	
	3	2	7	5	
+	6	1	5	6	

• Complete the additions.



• Jack uses place value counters to work out 1,945 + 1,257





Use Jack's method to work out the additions.



• White Rose FC are playing a football match against Red Rose Rovers.


2,438 fans come to watch White Rose FC.

1,765 fans come to watch Red Rose Rovers.

How many fans come to watch the match altogether?

## Add two 4-digit numbers – more than one exchange

#### **Reasoning and problem solving**



## Subtract two 4-digit numbers – no exchange

#### Notes and guidance

In Year 3, children used the formal written method to subtract two 2- or 3-digit numbers with up to two exchanges. In this block, that learning is extended to include 4-digit numbers. In this small step, children subtract up to a 4-digit number from a 4-digit number with no exchanges, using concrete resources as well as the formal written method.

Even though there is no exchanging, children should subtract from the smallest value column first. Before subtracting each column, ask, "Do you have enough ones/tens/hundreds to subtract \_\_\_\_\_?" If not, an exchange is needed.

Encouraging children to subtract from the "smallest value column" first, rather than referring to it as the "ones column", will avoid a misconception when decimals are introduced later in the year.

## Things to look out for

- When using concrete resources, children may make both numbers, then remove the second one, leaving the first number unchanged.
- Children may not line up the digits in the place value columns correctly, especially when the numbers have different numbers of digits.

## **Key questions**

- How can you show this question using place value counters?
- What is \_\_\_\_\_ less than \_\_\_\_?
- Does it matter which column you subtract first?
- Do you need to make an exchange?
- Do you have enough ones/tens/hundreds to subtract \_\_\_\_\_?

#### **Possible sentence stems**

- \_\_\_\_\_ ones/tens/hundreds subtract \_\_\_\_\_ ones/tens/ hundreds is equal to \_\_\_\_\_
- I can/cannot subtract \_\_\_\_\_ ones/tens/hundreds from \_\_\_\_\_ ones/tens/hundreds, so I do/do not need to make an exchange.


#### **National Curriculum links**

- Add and subtract numbers with up to four digits using the formal written methods of columnar addition and subtraction where appropriate
- Solve addition and subtraction two-step problems in contexts, deciding which operations and methods to use and why

## Subtract two 4-digit numbers – no exchange

## **Key learning**

• Dora uses place value counters to work out 3,454 – 1,224





	Th	Η	Т	0	
	3	4	5	4	
-	1	2	2	4	
	2	2	3	0	

Use Dora's method to work out the subtractions.

4,572 - 2,341 7,462 - 7,151 6,582 - 582 2,348 - 235

• Find the missing numbers.





• Use bar models to help you answer each question.

There are 3,597 boys and girls in a school. 2,182 are boys. How many girls are there?

Car A travels 7,653 miles per year. Car B travels 5,612 miles per year. How much further does car A travel than car B per year?


- The mass of a bag of sand is 3,576 g.
  1,250 g of sand is poured from the bag.
  What is the mass of the bag of sand now?
- Whitney and Amir are at the fair. At each stall, they can win tickets.



How many tickets did Amir win?

## Subtract two 4-digit numbers – no exchange

## **Reasoning and problem solving**





## Subtract two 4-digit numbers – one exchange

#### Notes and guidance

Building on the previous small step, children subtract up to 4-digit numbers, with one exchange. In Year 3, children subtracted 2- and 3-digit numbers with up to two exchanges.

It is important that children complete the formal written method alongside any concrete manipulatives to support understanding.

Before subtracting each column, ask, "Do you have enough ones/tens/hundreds to subtract \_\_\_\_\_?" If not, then an exchange is needed.

For this small step, the exchange could take place from the tens, hundreds or thousands, but there is only one exchange per calculation.

## Things to look out for

- Children may not line up the digits in the place value columns correctly, especially when the numbers have different numbers of digits.
- Children may find the difference between the two digits in a column instead of subtracting the second digit from the first in order to avoid an exchange, for example 1 – 3 becomes 3 – 1

## **Key questions**

- What is \_\_\_\_\_ less than \_\_\_\_?
- Does it matter which column you subtract first?
- Do you need to make an exchange?
- How can you subtract two numbers if one of them has fewer digits than the other?

#### **Possible sentence stems**

- \_\_\_\_\_ ones/tens/hundreds subtract \_\_\_\_\_ ones/tens/ hundreds is equal to \_\_\_\_\_
- I can/cannot subtract \_\_\_\_\_ ones/tens/hundreds from \_\_\_\_\_ ones/tens/hundreds, so I do/do not need to make an exchange.


#### **National Curriculum links**

- Add and subtract numbers with up to four digits using the formal written methods of columnar addition and subtraction where appropriate
- Solve addition and subtraction two-step problems in contexts, deciding which operations and methods to use and why

## Subtract two 4-digit numbers – one exchange

## **Key learning**

• Rosie uses base 10 to work out 3,416 – 1,223



Use Rosie's method to help you work out the subtractions.

4,256 - 1,139 3,758 - 1,825


,825 2,547 - 1,452


What is the same and what is different about these subtractions?

• Find the missing numbers.



• Ron uses place value counters to work out 2,343 – 151





Use place value counters to help you work out the subtractions.




• Use bar models to help you complete the questions.

Mrs Trent has £3,544 She spends £1,225 How much money does she have left?

Mrs Khan has £1,745 She has £1,239 more than Mr Khan. How much money does Mr Khan have? Rose

## Subtract two 4-digit numbers – one exchange

## **Reasoning and problem solving**



## Subtract two 4-digit numbers – more than one exchange

## Notes and guidance

In this small step, children subtract up to 4-digit numbers with more than one exchange, using the written method of column subtraction.

Children perform subtractions involving two separate exchanges (for example, from the thousands and from the tens) as well as those with two-part exchanges (for example, from the thousands down to the tens if there are no hundreds in the first number). To support understanding, continue solving these subtractions alongside the concrete resources of base 10 and place value counters.

When completing the written method, it is vital that children are careful with where they put the digits, especially those that have been exchanged. Two-part exchanges can be confusing for children if they are unsure what each digit represents or where to put it.

## Things to look out for

- Children may not line up the digits in the place value columns correctly.
- When exchanging a number, children may put the 1 in the incorrect place.
- When exchanging over two columns, children may exchange directly from, for example, hundreds down to ones and miss out the exchange to tens.

## **Key questions**

- Does it matter which column you subtract first?
- Do you need to make an exchange?
- How can you subtract two numbers if one of them has fewer digits than the other?
- If you cannot exchange from the tens/hundreds, what do you need to do?
- Which column can you exchange from?

## **Possible sentence stems**

- \_\_\_\_\_ ones/tens/hundreds subtract \_\_\_\_\_ ones/tens/ hundreds is equal to \_\_\_\_\_
- I can/cannot subtract \_\_\_\_\_ ones/tens/hundreds from \_\_\_\_\_ ones/tens/hundreds, so I do/do not need to make an exchange.

#### **National Curriculum links**


- Add and subtract numbers with up to four digits using the formal written methods of columnar addition and subtraction where appropriate
- Solve addition and subtraction two-step problems in contexts, deciding which operations and methods to use and why




## Subtract two 4-digit numbers – more than one exchange

## **Key learning**

• Tommy uses base 10 to help him work out 4,052 – 2,415





Use Tommy's method to work out the subtractions.




8,252 - 6,560


• Mr Jones paid £8,562 for his car.

Mrs Smith paid £6,729 for her car.


How much more did Mr Jones pay for his car than Mrs Smith paid for hers?

• Aisha works out 3,206 – 2,148 using place value counters.





Use Aisha's method to work out the subtractions.



• A shop has 8,435 magazines.

It sells 367 in the morning and 579 in the afternoon.

How many magazines are left?


		8,435
367	579	

Explain how you found the answer.

Is there more than one way to solve this problem?

## Subtract two 4-digit numbers – more than one exchange

#### **Reasoning and problem solving**



## **Efficient subtraction**



Having explored both mental and written methods of subtraction in this block, the purpose of this small step is to encourage children to make choices about which method is most appropriate for a given calculation. Children can often become reliant on formal written methods, so it is important to explicitly highlight where mental strategies or less formal jottings can be more efficient.

Children explore the concept of constant difference, where adding or subtracting the same amount to/from both numbers in a subtraction means that the difference remains the same, for example 2,832 - 1,999 = 2,833 - 2,000 or 400 - 193 = 399 - 192. This can help make potentially tricky subtractions with multiple exchanges much simpler, sometimes even becoming calculations that can be performed mentally. Number lines can support understanding of this concept.

## Things to look out for

- Children may be overly reliant on formal written methods and use them when alternative strategies are more appropriate.
- Children may not adjust both numbers in the subtraction.

#### **Key questions**

- Which method do you find easiest? Why?
- Which method is most efficient?
- Can you work this out mentally?
- What does "difference" mean?
- What does the arrow represent? What do you notice about all the arrows?
- Why does adding/subtracting \_\_\_\_\_ to/from each number make the calculation easier?

#### **Possible sentence stems**

- The jump to the next multiple of \_\_\_\_\_ is \_\_\_\_\_
- If I add/subtract \_\_\_\_\_ to/from both numbers, the difference will be the same.

#### **National Curriculum links**


• Add and subtract numbers with up to four digits using the formal written methods of columnar addition and subtraction where appropriate




## **Efficient subtraction**

## **Key learning**

• Kim, Tom and Huan are working out 203 – 198





Whose method do you prefer? Why?

Which is the most efficient method?


Use your preferred method to complete the subtractions.

Did you use the same method each time?


Complete each subtraction.
 What do you notice?
 What stays the same?
 What changes?

6 - 3 =	
5 - 2 =	
4 - 1 =	<ul> <li>Image: Image: Image:</li></ul>

• Eva is working out 357 – 199



Use Eva's method to work out the subtractions.




• Complete the subtractions.

Compare methods with a partner.

## **Efficient subtraction**



## **Reasoning and problem solving**



## **Estimate answers**

White Rose Maths

#### Notes and guidance

In Year 3, children explored the idea of estimating without explicitly using the language of rounding. Now that children have covered rounding in Autumn Block 1, they are familiar with the language of "rounding to the nearest \_\_\_\_\_". In this small step, children estimate by rounding to the nearest ten, hundred and thousand. Number lines are a useful representation to support this understanding.

Discuss why estimates are important, particularly in real-life situations such as population statistics. They allow us to quickly and easily get an idea of what an answer should be near to or if an already calculated answer is appropriate. It is important to discuss whether an actual answer will be greater or less than an estimate. For example, 333 + 524 may be estimated as 300 + 500, and the precise answer will be greater than the estimate because both the numbers were rounded to the previous multiple.

## **Key questions**

- What multiple of 10/100/1,000 comes before and after \_\_\_\_\_?
- Where would \_\_\_\_\_ be on this number line?
- Which multiple is \_\_\_\_\_ closer to?
- Which calculation is easier/quicker to perform? Why?
- Why do we use estimates?
- Is the estimate less than or greater than the actual answer? Why?

#### **Possible sentence stems**

- \_\_\_\_\_ is closer to \_\_\_\_\_ than \_\_\_\_\_
- So \_\_\_\_\_ rounded to the nearest \_\_\_\_\_ is \_\_\_\_\_
- The estimate will be \_\_\_\_\_ than the actual answer because ...

## Things to look out for

- Children may find it difficult to decide which multiple to round to.
- Children may find it difficult to work out whether an estimate will be greater or less than the actual answer.


#### **National Curriculum links**

• Estimate and use inverse operations to check answers to a calculation

## **Estimate answers**


## Key learning

• Use the number lines to help you complete the sentences.




Use the rounded amounts to estimate 3,341 – 1,880 Use column subtraction to work out the actual answer.

• Write < or > to complete the statements.



What do you notice?

• Annie and Tommy are estimating the answer to 3,219 + 5,624



Use Annie and Tommy's methods to estimate the answer. Now work out the actual answer using column addition. Whose estimate was more accurate? Why?

- Mrs Lee has £5,000 in her bank account.
  - A TV costs £1,328
  - A car costs £3,889


Estimate whether Mrs Lee can afford to buy both the television and the car.

Does your answer change if you round to a different amount?

## **Estimate answers**



#### **Reasoning and problem solving**



## **Checking strategies**

## White Rose Maths

## Notes and guidance

In this small step, children explore the inverse relationship between addition and subtraction. From learning in earlier years, children know that addition and subtraction are inverse operations and they should also be aware that addition is commutative and subtraction is not.

Bar models and part-whole models are useful representations to help establish families of facts that can be found from one calculation. Children use inverse operations to check the accuracy of their calculations, rather than simply redoing the same calculation and potentially repeating the same error.

Estimations can be used alongside inverse operations as an alternative checking strategy.

## Things to look out for

- Children may subtract a part from a part rather than a part from the whole, for example writing 240 – 130 as the inverse of 240 + 130
- When asked to check an answer, children may just repeat the same calculation instead of using the inverse operation.

## **Key questions**

- What are the parts? What is the whole?
- Given one fact, what other facts can you write?
- What does "inverse" mean?
- What is the inverse of add/subtract \_\_\_\_\_?
- Is addition/subtraction commutative?

#### **Possible sentence stems**

- The inverse of \_\_\_\_\_ is \_\_\_\_\_
- If \_\_\_\_\_ is a part and \_\_\_\_\_ is a part, then \_\_\_\_\_ is the whole.
- If \_\_\_\_\_ is the whole and \_\_\_\_\_ is a part, then \_\_\_\_\_ is the other part.
- To check I have added/subtracted \_\_\_\_\_ correctly, I need to \_\_\_\_\_


#### **National Curriculum links**

• Estimate and use inverse operations to check answers to a calculation

## **Checking strategies**

## **Key learning**

• Complete the part-whole models and number sentences.




How could you check your answers?

• Complete the bar model for 3,582 – 2,236 = 1,346




Use the bar model to write the fact family.

• Which subtractions can be used to check the addition 1,574 + 3,432 = 5,006?




• Which additions can be used to check the subtraction 3,265 – 823 = 2,442?




• Use an inverse operation to check each calculation.

How many different inverse calculations can you do for each?

	Th	Η	Т	0	
	4	5	1	9	
+		7	2	3	
	5	2	4	2	
	1		1		



• Dani has answered a problem.




Estimate to check Dani's answer.

Now use an inverse calculation to check if Dani's answer is correct.

## **Checking strategies**




## **Reasoning and problem solving**



Tiny is completing some statements.

Check Tiny's answers.

Do you need to work out the answers or can an estimate help you decide whether Tiny is correct?



Find the correct answers.

Is there more than one possible answer for any of the statements?



Compare strategies as a class.

96

14

any number greater than 14

any number between 0 and 13

## Autumn Block 3

# Area






## Small steps







## What is area?

#### Notes and guidance

In this small step, children encounter area for the first time.

They learn that area is the amount of space taken up by a two-dimensional shape or surface. They explore different ways of working out the area of a shape, and it is important that children recognise that some ways are better than others. In this small step, area is found by practically counting squares and not through any formal calculations.

This topic lends itself to practical activities such as finding the area of classroom objects using square pieces of paper. Activities such as this can be extended by using different-sized squares and discussing why this gives a different answer.

Children also explore the idea that counters are not suitable for finding area, as the whole area cannot be covered.

## Things to look out for

- When investigating area for the first time, children may not use a reliable method or unit to count how much space is taken up.
- When using sticky notes to practically investigate area, children may overlap them. This is a good opportunity to discuss the importance of measuring accurately.

## **Key questions**

- How can you measure area?
- Which item has the greatest/smallest area?
- Why would you not use sticky notes to find the area of the playground? What could you use instead?
- Why are sticky notes not useful for finding the area of a circle?
- What do you think the area of \_\_\_\_\_ might be?
- What happens if you use a different unit of measure to find the area?

#### **Possible sentence stems**

- The area of \_\_\_\_\_ is \_\_\_\_\_
- Area is the amount of \_\_\_\_\_ taken up by a 2-D shape or surface.
- Area can be measured using \_\_\_\_\_

#### **National Curriculum links**


• Find the area of rectilinear shapes by counting squares



## What is area?


## **Key learning**

• For each pair of shapes, tick the shape with the greater area.



• This is a square sticky note.

Estimate how many sticky notes you need to make these shapes.



Use five sticky notes to make as many different shapes as possible.


Compare shapes with a partner.

Explain how you know that all the shapes have the same area.

- Make a shape with an area of 3 sticky notes.
   Make a shape with an area of 8 sticky notes.
   Make a shape with an area of 6 sticky notes.
   Which shape has the greatest area?
   How do you know?
- Here is a rhombus.
   Draw a rhombus with a smaller area.
   Draw a rhombus with a greater area.



• Dora is using counters to find the area of the rectangle.



The area of the rectangle is 15 counters.




Do you agree with Dora? Talk about it with a partner.

## What is area?



## **Reasoning and problem solving**



## **Count squares**



In the previous small step, children learnt that area is the space taken up by a two-dimensional shape or surface, and measured it practically. In this small step, they use the strategy of counting the number of squares inside a shape to find its area.

If appropriate, children can move on to finding the areas of shapes that include half squares. Marking or noting which squares they have already counted supports children's accuracy when finding the area of complex shapes.

Using arrays relating to area can be explored, but children are not expected to recognise the formula. Knowledge of the properties of squares and rectangles can help children to find the areas of shapes with parts missing.

## Things to look out for

- Children may miscount when counting the squares of more complex shapes.
- If children are insecure with their times-tables, they may make mistakes when using arrays to find the area.
- After using arrays to find the area of a rectangle, children may use them to find the areas of all shapes, which may not be appropriate.

## Key questions

- What can you do to make sure you do not count a square twice?
- How can you make sure you do not miss a square?
- Does your knowledge of times-tables help you to find the area?
- Can you use arrays to find the area of any shape?
- Which method is easier? Why?
- What can you do if the squares are not full squares?

#### **Possible sentence stems**

- There are \_\_\_\_\_ squares inside the shape. This means that the area of the shape is \_\_\_\_\_ squares.
- There are \_\_\_\_\_ squares and \_\_\_\_\_ half squares inside the shape.

This means that the area of the shape is \_\_\_\_\_\_ squares.

There are \_\_\_\_\_ rows. Each row has \_\_\_\_\_ squares.
 There are \_\_\_\_\_ squares in total.


#### **National Curriculum links**


• Find the area of rectilinear shapes by counting squares

## **Count squares**


## **Key learning**

• Count the squares to find the area of each shape.






• Here is a patchwork quilt made from different-coloured squares.




Find the area of each colour. What is the total area of the quilt?

• What is the area of each shape?




• Tiny uses times-tables to work out the area of the rectangle.



There are 3 rows altogether. There are 5 squares in a row. 3 rows of 5 squares = 15 squares The area of the shape is 15 squares.

Use Tiny's method to work out the area of this rectangle.



Complete the sentences.

There are \_\_\_\_\_ rows altogether.

There are \_\_\_\_\_\_ squares in a row.

\_\_\_\_\_ rows of \_\_\_\_\_ squares = \_\_\_\_\_ squares

The area of the shape is \_\_\_\_\_\_ squares.



## **Count squares**



## **Reasoning and problem solving**

A rectangle is made from squares.



 $5 \times 3 = 15$  squares

multiple possible

There are 3 rows, so all answers


must be divisible

answers, e.g.

18, 21, 24

by 3

The end of the rectangle has been torn off.




What is the smallest possible area of the original rectangle?

What other possible areas could there be?

Talk about it with a partner.




Mrs Trent is tiling her kitchen with this design.



She has 5 white tiles and  $2\frac{1}{2}$  purple tiles. How many more white and purple tiles will she need?

Jack thinks that the area of this shape is 15 squares.



What mistake has Jack made?

 $8\frac{1}{2}$  white tiles 5 purple tiles

The shape is not a complete rectangle.

## Make shapes



#### Notes and guidance

In this small step, children make rectilinear shapes using a given number of squares.

Children learn that a rectilinear shape is a shape that has only straight sides and right angles. They explore the idea that rectilinear shapes need to touch at the sides and not just at the corners. Children may notice that a rectilinear shape looks like two rectangles joined together, but should be careful not to calculate the area as two rectangles added together, as this will sometimes include an overlap.

Children should work systematically to find all the different rectilinear shapes using a given number of squares by moving one square at a time, before moving on to drawing their own shapes with a given area.

## Things to look out for

- Children may not know that rectilinear shapes need to be touching along the sides, not just at the corners.
- When making rectilinear shapes with concrete resources, children may overlap the squares.
- Children may not recognise that shapes can look different but have the same area.

## **Key questions**

- How many different shapes can you make with four squares?
- How can you work systematically?
- Should you overlap the squares when making your shapes?
- How many of these shapes are rectilinear? Explain why.
- Is it possible to make a rectangle with an odd number of squares?
- Is it possible to make a square with an odd number of squares?

#### **Possible sentence stems**

- There are \_\_\_\_\_ squares inside the shape.
   This means that the area of the shape is \_\_\_\_\_ squares.
- The area of the shape is \_\_\_\_\_\_ squares.
- I can make the shape different by \_\_\_\_\_

#### **National Curriculum links**


• Find the area of rectilinear shapes by counting squares

## Make shapes




#### **Key learning**

• Ron has used four squares to make different rectilinear shapes.



Use four squares to continue to make different rectilinear shapes. How can you work systematically?

• Here are some rectilinear shapes.




Find the area of each shape.

What do you notice?

Talk about it with a partner.

- Draw three rectilinear shapes, all with an area of 8 squares. What is the same about each shape? What is different?
- Shade more squares to make the area of the shape 12 squares.




Compare answers with a partner. What do you notice?

A builder uses 20 square slabs to make a patio.
 Draw a plan of the patio on a squared grid.
 The builder paints 6 of the square slabs green.
 None of the green slabs are touching each other.
 Colour the green slabs on your plan.



## Make shapes





#### **Compare areas**



Building on previous steps, children compare the areas of rectilinear shapes where the same size square has been used.

Marking or noting which squares they have already counted will support children's accuracy when finding the area of complex shapes.

Children begin by using the symbols <, > and = to compare the areas of different shapes, before drawing their own shapes to satisfy an inequality. They also compare the areas of different shapes and put them in size order.

Children could move on to finding the area of shapes that include half squares. This is another opportunity for children to explore the most efficient method for finding the area.

#### Things to look out for

- Children may not be confident using > and < for inequalities.
- Children may miscount when counting the squares of more complex shapes.
- When counting squares to find the area of rectilinear shapes, children may count some squares more than once, which will give them an incorrect area.

#### **Key questions**


- How can you find out which shape has the greater area?
- How much greater/smaller is the area of the first/second shape?
- What is different about the numbers of squares covered by the two shapes?
- What is the difference in area between the shapes?
- How can you order the shapes?

#### **Possible sentence stems**

- The area of shape A is \_\_\_\_\_\_ squares and the area of shape B is \_\_\_\_\_\_ squares.
- I know shape \_\_\_\_\_ has a greater area because it has \_\_\_\_\_ more squares than shape \_\_\_\_\_
- The more squares inside a shape, the \_\_\_\_\_ the area.

#### **National Curriculum links**

• Find the area of rectilinear shapes by counting squares






#### **Compare areas**

#### **Key learning**


• Which shape has the smaller area?




How did you find your answer?

Talk to a partner.


• Write <, > or = to compare the areas of the shapes.



• Draw two shapes to complete the comparison.




- Put the shapes in order of size starting with the smallest area.



• A gardener has made two plans for a garden.

Each plan has grass, a vegetable patch and a patio.



- > What is the difference in the areas of the vegetable patches?
- Which plan uses more patio squares?
- > The gardener draws another plan and calls it plan C.


The patio in plan C is twice the size of the patio in plan A.

What is the area of the patio in plan C?

White R©se Maths

#### **Compare areas**






## Autumn Block 4

# Multiplication and division A



## Small steps







## Small steps



Step 9	11 times-table and division facts						
Current	12 times-table and division facts						
Step 10							
Step 11	Multiply by 1 and 0						
Step 12	Divide a number by 1 and itself						
Step 13	Multiply three numbers						



## **Multiples of 3**



This small step revisits learning from Year 3 around multiplying by 3 and the 3 times-table.

Children explore the link between counting in 3s and the 3 times-table to understand multiples of 3 in a range of contexts. They use familiar representations such as number tracks and hundred squares to represent multiples of 3. They explore how to recognise if a number is a multiple of 3 by finding its digit sum: if the sum of the digits of a number is a multiple of 3, then the number itself is also a multiple of 3

This small step includes multiples of 3 up to  $3 \times 12$  and will be useful support for learning multiples of 6 and 9 in future steps.

#### Things to look out for

- Children may think that any number with 3 ones is a multiple of 3
- An early mistake when counting in 3s will affect all subsequent multiples.
- Children may always begin counting from 3 to find a larger multiple of 3, when they could use the multiples they already know to find the new information.

#### **Key questions**

- What is the next multiple of 3?
- What is the multiple of 3 before \_\_\_\_\_?
- How many 3s are there in \_\_\_\_\_?
- How do you find the digit sum of a number?
- How can you tell if a number is a multiple of 3?
- Are the multiples of 3 odd or even?

#### Possible sentence stems

- The next multiple of 3 is \_\_\_\_\_
- The multiple of 3 before \_\_\_\_\_ is \_\_\_\_\_
- I know \_\_\_\_\_ is a multiple of 3 because ...

- Recall multiplication and division facts for multiplication tables up to 12 × 12
- Recognise and use factor pairs and commutativity in mental calculations



## **Multiples of 3**

#### **Key learning**

• Complete the number track.




- Tiny is counting in 3s.
   3, 6, 9, 13, 16, 19, 23 ...
   What mistake has Tiny made?
- Colour the multiples of 3 in the hundred square.

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70
71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99	100

What do you notice?

- Complete the statements.
  - 3 lots of 3 = \_\_\_\_\_
  - 4 lots of 3 = \_\_\_\_\_
  - 5 lots of 3 = \_\_\_\_\_
  - 10 lots of 3 = \_\_\_\_\_
  - 4 lots of 3 and 2 lots of 3 = \_\_\_\_\_ lots of 3
  - 7 lots of 3 = \_\_\_\_ lots of 3 and 5 lots of 3
- Each side of a regular hexagon measures 3 cm.
   What is the perimeter of the shape?



3 cars each have 3 people inside.
 Each person has 3 bags.


How many bags are there altogether?





## **Multiples of 3**







#### Notes and guidance

In this small step, children build on their knowledge of the 3 times-table to explore the 6 times-table. The step aims to embed the children's fluency skills with the 6 times-table, while also providing them with strategies to use the multiplication facts they know to find unknown facts.

Children explore the fact that the 6 times-table is double the 3 times-table. Children who are confident in their times-tables can also explore the link between the 5 and 6 times-tables. They use the fact that multiplication is commutative to derive values for the 6 times-tables. This is developed further with division facts, where children explore fact families to embed their understanding of division as the inverse of multiplication.

#### Things to look out for

- Children may always start at 1 × 6 = 6 and recite the times-table, rather than use the number facts they know to find the facts they are not as secure with.
- When writing fact families, children may follow the pattern from multiplication and see division as commutative, for example writing 42 ÷ 6 = 7 so 6 ÷ 42 = 7
- Children may not recognise that when they are dividing by a greater number they get a smaller answer.

#### **Key questions**

- How many equal groups do you have?
   How many are there in each group?
   How many are there altogether?
- What does each number in the calculation represent?
- What does commutative mean?
- Is multiplication/division commutative?
- How can you use facts from the 3 times-table to work out facts from the 6 times-table?


#### **Possible sentence stems**

- 6 lots of \_\_\_\_\_ is \_\_\_\_\_
- \_\_\_\_\_ shared into 6 equal groups is \_\_\_\_\_
- Multiplying by 6 is the same as multiplying by \_\_\_\_\_ twice.
- \_\_\_\_\_ × 6 = double \_\_\_\_\_ × 3

- Recall multiplication and division facts for multiplication tables up to 12 × 12
- Recognise and use factor pairs and commutativity in mental calculations

#### **Key learning**

• Complete the sentences.




There are <u>boxes</u>.

Each box contains \_\_\_\_\_ eggs.

There are <u>eggs</u> in total.

\_\_\_\_\_× \_\_\_\_\_ = \_\_\_\_\_



Complete the fact family.







Use Rosie's method to complete the sentences.

- 3 × 6 = double 3 × 3 = double 9 = 18
- 4 × 6 = double 4 × \_\_\_\_\_ = \_\_\_\_ = \_\_\_\_\_
- 5 × 6 = double \_\_\_\_\_ × \_\_\_\_ = \_\_\_\_ = \_\_\_\_
- 7 × 6 = double \_\_\_\_\_ × \_\_\_\_ = \_\_\_\_ = \_\_\_\_
- Complete the bar models.


•






Write the fact families for each bar model.

• Which numbers can be divided into equal groups of 6?









#### Notes and guidance

Building on the previous step, children use known facts to become more fluent in using the 6 times-table.

As in the previous step, they apply knowledge of the 3 times-table and understand that each multiple of 6 is double the corresponding multiple of 3

Children use their knowledge of other times-tables to find values for the 6 times-table, for example finding that  $6 \times 7 = 42$  because  $5 \times 7 = 35$  and  $1 \times 7 = 7$ , so 35 + 7 = 42

It is important that children practise the related division facts as well as the multiplication facts associated with the 6 times-table. Fluency with the 6 times-table will also help children to work out the 12 times-table in future steps.

#### Things to look out for

- Children may confuse different terminology to describe multiplication and division such as "equal groups", "lots of", "times", "multiple" and so on.
- An early mistake when counting in 6s will affect all subsequent multiples.
- Children may not see the link between 6 × \_\_\_\_\_ and other multiples such as 5 × \_\_\_\_\_ and 1 × \_\_\_\_\_

#### **Key questions**

- How can you use facts from the 3 times-table to work out facts in the 6 times-table?
- How can you use facts from the 5 times-table to work out facts in the 6 times-table?
- If you know a multiplication sentence, what division sentences can you find?
- What is the fact family for the calculation?

#### Possible sentence stems

- 6 multiplied by \_\_\_\_\_ is equal to \_\_\_\_\_
- \_\_\_\_\_ × 6 = double \_\_\_\_\_ × 3
- \_\_\_\_\_ × 6 = \_\_\_\_\_ × 5 + \_\_\_\_\_
- \_\_\_\_\_ × 6 = \_\_\_\_\_, so \_\_\_\_\_ ÷ 6 = \_\_\_\_\_

- Recall multiplication and division facts for multiplication tables up to 12 × 12
- Recognise and use factor pairs and commutativity in mental calculations




#### **Key learning**


• Write a multiplication fact to work out the total.



What other multiplication and division facts can you find?

• Complete the fact family to match the array.






- Complete the number sentences.
  - ▶ 1 × 3 = \_\_\_\_ = 6
  - ▶ 2×\_\_\_\_=6 2×6=\_\_\_\_
  - ▶ 3 × 3 = \_\_\_\_ 3 × 6 = \_\_\_\_


Write the next two sentences in the pattern.

• Use the array to complete the number sentences.




Use this method to complete the number sentences.

- $2 \times 5 =$  and  $2 \times 1 =$  so  $2 \times 6 =$   $3 \times 5 =$  and  $3 \times 1 =$  so  $3 \times 6 =$   $7 \times 5 =$  and  $7 \times 1 =$  so  $7 \times 6 =$
- Match the inverse operations.



White Rose Maths







#### Notes and guidance

In this small step, children are introduced to the 9 times-table. They use a range of strategies to support their fluency, such as looking for number patterns and finding unknown number facts from known facts, for example subtracting from the 10 times-table or tripling the 3 times-table, and these will be built upon later in the block.

Children explore the structure of the 9 times-table using a range of models and pictorial representations, and by exploring multiples of 9 in context. They also use commutativity with the facts they already know from other times-tables.

Children find division facts and explore fact families to embed their understanding of division as the inverse of multiplication.

#### Things to look out for

- When finding multiplication facts, children may always start at 1 × 9 = 9 and recite the times-table rather than using the number facts they know to find the facts they are not as secure with.
- When writing fact families, children may follow the pattern from multiplication and see division as commutative, writing examples such as 54 ÷ 9 = 6 so 9 ÷ 54 = 6

#### **Key questions**

- How many equal groups are there?
   How many are there in each group?
   How many are there altogether?
- How can you use the 10 times-table to work out the 9 times-table?
- How can you use the 3 times-table to work out the 9 times-table?
- What does each number in the calculation represent?
- What patterns can you see in the 9 times-table?

#### **Possible sentence stems**

- 9 lots of \_\_\_\_\_ is equal to \_\_\_\_\_
- \_\_\_\_\_ groups of \_\_\_\_\_ is equal to \_\_\_\_\_ groups of \_\_\_\_\_
- \_\_\_\_\_ × 10 = \_\_\_\_\_, so \_\_\_\_\_ × 9 = \_\_\_\_\_ = \_\_\_\_

- Recall multiplication and division facts for multiplication tables up to 12 × 12
- Recognise and use factor pairs and commutativity in mental calculations

6

## Multiply and divide by 9

#### **Key learning**

- Complete the sentences to describe the oranges.
  - There are \_\_\_\_\_ rows of 4 oranges.


There are \_\_\_\_\_ oranges in total.

- \_\_\_\_\_× \_\_\_\_ = \_\_\_\_
- The oranges are shared into 9 boxes.

There are \_\_\_\_\_ oranges in each box.

\_\_\_\_\_÷\_\_\_\_=\_\_\_\_

• Complete the number track.




What do you notice?


• Here are Annie's workings for 9 × 7

9 × 7 =	10 × 7 – 7
=	70 – 7
=	63


Use Annie's method to complete the number sentences.

- ▶ 9 × 3 = 10 × \_\_\_\_ \_\_\_ ▶ 9 × 8 = 10 × \_\_\_\_ \_\_\_
- ▶ 9 × 6 = 10 × \_\_\_\_ \_\_\_ ▶ 9 × 9 = 10 × \_\_\_\_ \_\_\_





• Complete the bar models.




Write the fact families for each bar model.

- Mrs Trent has 36 boxes of pencils.
   She shares them equally between 9 classes.
   How many boxes of pencils does each class get?
- Tommy packs 72 eggs into boxes.
   Each box contains 9 eggs.
   How many boxes does he need?

White Rose Maths





#### Notes and guidance

Building on the previous step, children become more fluent using the 9 times-table and apply the multiplication and division facts in a wide variety of contexts.

To establish the facts, children use strategies such as using the 10 times-table to derive the 9 times-table, and understanding that each multiple of 9 is triple the equivalent multiple of 3

They investigate finding the digit sum and look for patterns that will support them in identifying multiples of 9: if the sum of the digits of a number is a multiple of 9, then the number itself is also a multiple of 9. This, and the corresponding rule for the 3 times-table, will support their learning in the next step, where they compare the 3, 6 and 9 times-tables.

#### Things to look out for

- Children may confuse different terminology to describe multiplication and division, such as "equal groups", "lots of", "times", "multiple" and so on.
- An early mistake when counting in 9s will affect all subsequent multiples.
- Children may use tricks to find multiplication facts in the 9 times-table but not be able to use these to find the related division facts.

#### **Key questions**

- How could you use the 10 times-table to work out the 9 times-table?
- If you know a multiplication sentence, what division sentences can you find?
- How can you tell if a number is a multiple of 9?
- How can you use the 3 times-table to work out facts in the 9 times-table?

#### **Possible sentence stems**

- \_\_\_\_\_ × 9 = \_\_\_\_\_ × 9 + \_\_\_\_\_ × 9
- \_\_\_\_\_ × 9 = \_\_\_\_\_ = \_\_\_\_\_ = \_\_\_\_\_
- \_\_\_\_\_ × 9 = \_\_\_\_\_ , so \_\_\_\_\_ ÷ 9 = \_\_\_\_\_
- Multiplying by 9 is the same as multiplying by \_\_\_\_\_ and then multiplying by \_\_\_\_\_ again.

- Recall multiplication and division facts for multiplication tables up to 12 × 12
- Recognise and use factor pairs and commutativity in mental calculations




#### **Key learning**

• Complete the sequence counting in 9s.

18, 27, \_\_\_\_\_, 45, 54, \_\_\_\_\_, 72, 81, \_\_\_\_\_, \_\_\_, 108

• Which of the numbers are multiples of 9?




• Write the multiplication fact to work out the total value of the number pieces.




Write a division fact that you can see from the number pieces.

• Write the fact family to match the array.



• Use the array to complete the number sentences.



Use this method to complete the number sentences.

- $3 \times 10 =$  and  $3 \times 1 =$  so  $3 \times 9 =$   $4 \times 10 =$  and  $4 \times 1 =$  so  $4 \times 9 =$   $7 \times 10 =$  and  $7 \times 1 =$  so  $7 \times 9 =$
- Match the inverse operations.



White R©se Maths

#### White Rose Maths

#### **Reasoning and problem solving**

Alex has 63 flowers and some vases. She puts 9 flowers into each vase. How many vases does she need?


Teddy has 63 flowers. He has 9 vases.

He puts an equal number of flowers in each vase.

How many flowers does he put in each vase?

What is the same about these questions? What is different?





## The 3, 6 and 9 times-tables



#### Notes and guidance

In this small step, children make links between the 3, 6 and 9 times-tables to deepen their understanding and embed fluency with these times-tables.

This is done by exploring the structure of the times-tables using resources such as arrays and hundred squares, as well as via tasks that require children to reason and explore number facts to look for structural patterns.

On completion of this step, children should be confident with their 2, 3, 4, 5, 6, 8, 9 and 10 times-tables before moving on to look at the remaining times-tables later in the block.

#### Things to look out for

- Children may see the pattern of doubling 3 times-table facts to find 6 times-table facts, then make the mistake of assuming that they can double the 6 times-table facts to find 9 times-table facts.
- Children may rely on reciting the times-tables, rather than using known facts at other points in the times-tables to help them.
- Even when children are secure in multiplication facts, they may not be confident with the corresponding divisions.

#### **Key questions**

- What links can you see between the 3 and 6 times-tables?
- What links can you see between the 3 and 9 times-tables?
- What other times-tables can you use to help find the multiplication facts?
- If you know one multiplication fact, what other multiplication fact do you know? What division facts do you know?
- How do you know if a number is a multiple of 3/6/9?

#### **Possible sentence stems**

- Double \_\_\_\_\_ × 3 = \_\_\_\_\_ × 6
- Triple \_\_\_\_\_ × 3 = \_\_\_\_\_ × 9
- 3 lots of \_\_\_\_\_ and 6 lots of \_\_\_\_\_ = 9 lots of \_\_\_\_\_
- \_\_\_\_\_ × 3 × 3 = \_\_\_\_\_ × \_\_\_\_\_

- Recall multiplication and division facts for multiplication tables up to 12 × 12
- Recognise and use factor pairs and commutativity in mental calculations

## The 3, 6 and 9 times-tables

### **Key learning**

- Here is a hundred square.
  - Circle the multiples of 3 in one colour.
  - Circle the multiples of 6 in another colour.
  - Circle the multiples of 9 in a third colour.

What do you notice?


1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70
71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99	100

• Here are three number tracks for the 3, 6 and 9 times-tables. Complete the number tracks.

	3	6	9	12					33	
Γ	6	12	18					60		
ſ	9				45					

What do you notice?

• Dora has made an array to show 9 × 5



Draw and label an array to show that  $9 \times 4 = 3 \times 4 + 6 \times 4$ 

• What does the bar model show about the connection between the 3 times-table and the 9 times-table?

3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
	9			9		9				9			9			9	

• Tommy has 9 bags of 6 apples.


Write a multiplication to find the total number of apples.

Write the fact family for this multiplication.

White R©se Maths

## The 3, 6 and 9 times-tables

#### **Reasoning and problem solving**



White R©se Maths



#### Notes and guidance

In this small step, children use their knowledge of multiples and count in 7s to make the link between repeated addition and multiplication.

Children apply their knowledge of equal groups and use a range of concrete and pictorial representations to deepen their understanding of multiplying by 7. They also draw on ideas from previous steps to explore flexible partitioning to show, for example,  $8 \times 7 = 5 \times 7 + 3 \times 7$  or  $8 \times 7 = 8 \times 5 + 8 \times 2$ 

Children also explore dividing by 7 through sharing into 7 equal groups and grouping into 7s.

#### Things to look out for

- Children may need support to use the multiplication facts that they are confident in to find the ones they do not know as well.
- Children may not be able to identify which number in a number sentence corresponds with which number in a context.
- Children may find all multiplication facts by starting from 1 × 7 and then reciting their times-table facts, rather than using facts they know to find the facts they do not know.

#### **Key questions**

- How many equal groups are there?
- How many lots of 7 do you have?
- How many groups of 7 are there in \_\_\_\_\_?
- What can you partition \_\_\_\_\_ into to help you multiply \_\_\_\_\_ by 7?
- If you know this, what else do you know?
- How can you use the 5/6/8 times-table to find a fact in the 7 times-table?

#### **Possible sentence stems**

- \_\_\_\_\_ × 7 = \_\_\_\_\_ × 7 + \_\_\_\_\_ × 7
- \_\_\_\_\_ × 7 = \_\_\_\_\_ × 8 \_\_\_\_ = \_\_\_\_
- There are 7 groups of \_\_\_\_\_ in \_\_\_\_\_


- Count in multiples of 6, 7, 9, 25 and 1,000
- Recall multiplication and division facts for multiplication tables up to 12 × 12

#### **Key learning**

• Count in 7s to continue the sequence.




• Rosie draws a picture to represent 7 × 4 in two different ways.




Use Rosie's method to represent  $7 \times 6$  in two ways.


• Write two multiplications and two divisions shown by the array.



• Amir is using partitioning to help him work out 7 × 7



Use Amir's method to work out the multiplications.



- 7 children can sit around one table.
   How many children can sit around 5 tables?
- 7 children can sit around one table.
   There are 63 children.
   How many tables are needed?


White Rose Maths



#### **Reasoning and problem solving**

Three children are playing a game.


They score 7 points for every cup they knock down.



Here are their scores.

Esther	56
Brett	77
Alex	28

How many cups did each child knock down?



#### Notes and guidance

In this small step, children bring together their knowledge of multiplying and dividing by 7 in order to become more fluent in the 7 times-table.

Children construct fact families and use concrete and pictorial representations to make links between multiplication and division. It is important that children understand the structure of the multiplication table and can derive unknown facts from known facts. Children explore links between multiplication tables, investigating how this can help with mental strategies for calculation, such as  $9 \times 7 = 9 \times 5 + 9 \times 2$ . This step could also be an opportunity to use the 6 and 8 times-tables to derive the 7 times-table, for example  $9 \times 7 = 9 \times 8 - 9$  or  $9 \times 7 = 9 \times 6 + 9$ . Drawing arrays is a useful way of helping children to see these links.

#### Things to look out for

- Children may need support to use the multiplication facts that they are confident in to find the ones that they do not know as well.
- Children may find all multiplication facts by starting from 1 × 7 and then reciting their times-table facts, rather than using facts they know to find the facts they do not know.

#### **Key questions**

- How many lots of 7 do you have?
- What is the same and what is different about the number facts?
- How does the 7 times-table help you work out the answers?
- What strategies can you use to work out a 7 times-table fact that you do not yet know? What other times-tables can you use?

#### **Possible sentence stems**

- \_\_\_\_\_ × 7 = \_\_\_\_\_ × 5 + \_\_\_\_\_ × 2
- \_\_\_\_\_ × 7 = \_\_\_\_\_ × 8 \_\_\_\_\_
- \_\_\_\_\_ × 7 = \_\_\_\_\_ × 6 + \_\_\_\_\_
- There are 7 groups of \_\_\_\_\_ in \_\_\_\_\_
- There are \_\_\_\_\_ groups of 7 in \_\_\_\_\_

- Count in multiples of 6, 7, 9, 25 and 1,000
- Recall multiplication and division facts for multiplication tables up to 12 × 12





#### **Key learning**

• Complete the number track.




• Complete the fact family to match the array.







• Match the inverse operations.



• Complete the multiplications.




• Dexter, Rosie and Whitney are working out 3 × 7 and explaining their methods.



White R©se Maths





#### Notes and guidance

In this small step, children build on their knowledge of the 1 and 10 times-tables to explore the 11 times-table. They recognise that they can partition 11 into 10 and 1 and use known facts to support their understanding, for example  $7 \times 11 = 7 \times 10 + 7 \times 1 = 77$ 

They use a range of concrete and pictorial representations to deepen their understanding of multiplying by 11 and to make links between multiplying and dividing by 11. They explore dividing by 11 through sharing into 11 equal groups and grouping into 11s.

At this stage, children should already know the majority of facts from other times-tables, so highlighting the importance of commutativity is key in this step.

#### Things to look out for

- Children may need support to use the multiplication facts that they are confident in to find the ones that they do not know as well.
- Children may not realise that 110, 121, 132 and so on are multiples of 11, as the previous multiples of 11 all have repeated digits, for example 66, 77, 88

#### **Key questions**

- How many equal groups are there?
- How many lots of 11 do you have?
- How many groups of 11 are there in \_\_\_\_\_?
- What can you partition 11 into to help you?
- How can you use base 10 to work out \_\_\_\_\_ × 11?
- How can you use place value counters to work out \_\_\_\_\_. ÷ 11?
- How can you show this using an array?

#### **Possible sentence stems**

- \_\_\_\_\_ × 11 = \_\_\_\_\_
- \_\_\_\_\_ × 11 = \_\_\_\_\_ × 10 + \_\_\_\_\_ × 1
- There are 11 groups of \_\_\_\_\_ in \_\_\_\_\_
- There are \_\_\_\_\_ groups of 11 in \_\_\_\_\_


- Recall multiplication and division facts for multiplication tables up to 12 × 12
- Recognise and use factor pairs and commutativity in mental calculations




#### **Key learning**

• Complete the sentences.






• Tommy is using base 10 to help him work out 3 × 11




3 × 11 = 33

Use Tommy's method to work out the multiplications.




What do you notice?

- There are 11 players in a football team. How many players are there in 4 teams?
- Nijah is using place value counters to help her work out 66 ÷ 11




Use Nijah's method to work out the divisions.



11 children can sit around one table.
 There are 121 children.
 How many tables are needed?

White R©se Maths





#### Notes and guidance

In this small step, children build on their knowledge of the 2 and 10 times-tables to explore the 12 times-table. They recognise that they can partition 12 into 10 and 2 and use known facts to support their understanding, for example  $7 \times 12 = 7 \times 10 + 7 \times 2 = 84$ . They also build on their knowledge of the 6 times-table, recognising that multiplying by 12 is the same as multiplying by 6 and then doubling.

Children use a range of concrete and pictorial representations to deepen their understanding of multiplying by 12 and to make links between multiplying and dividing by 12. They explore dividing by 12 through sharing into 12 equal groups and grouping into 12s.

At this stage, children should already know multiplication facts from other times-tables, so highlighting the importance of commutativity is key in this step.

#### Things to look out for

- Children may need support to use known multiplication facts to find new ones.
- Children may find all multiplication facts by starting from 1 × 12 and then reciting their times-table facts, rather than using facts that they know.

#### **Key questions**

- How many equal groups are there?
- How many lots of 12 do you have?
- How many groups of 12 are there in \_\_\_\_\_?
- What can you partition 12 into to help you?
- How can you use base 10 to work out \_\_\_\_\_ × 12?
- How can you use place value counters to work out —— ÷ 12?

#### **Possible sentence stems**

- \_\_\_\_\_ × 12 = \_\_\_\_\_ × 10 + \_\_\_\_\_ × 2
- \_\_\_\_\_ × 12 = double \_\_\_\_\_ × 6
- There are 12 groups of \_\_\_\_\_ in \_\_\_\_\_
- There are \_\_\_\_\_ groups of 12 in \_\_\_\_\_


- Recall multiplication and division facts for multiplication tables up to 12 × 12
- Recognise and use factor pairs and commutativity in mental calculations




#### **Key learning**

• Jack has made an array to help him work out 2 × 12

He has partitioned 12 into 10 and 2



Use Jack's method to work out the multiplications.



- There are 12 people on a lacrosse team.
   There are 6 teams in a tournament.
   How many players are there altogether?
- A box holds 12 eggs.


How many boxes are needed for 36 eggs?

• Sam is building the 12 times-table.

1 × 12 = 12	2 × 12 = 24	3 × 12 = 36


Use base 10 to help you complete the multiplications.

- ▶ 12 × 5 = \_\_\_ ▶ 5 × 12 = \_\_\_ ▶ 48 ÷ 12 = \_\_\_ ▶ 84 ÷ 12 = \_\_\_
- ▶ 12 × \_\_\_ = 120 ▶ 12 × \_\_\_ = 132 ▶ \_\_\_ ÷ 12 = 8 ▶ \_\_\_ = 9 × 12
- Write <, > or = to make each statement correct.



White Rose Maths





## Multiply by 1 and 0



#### Notes and guidance

In this small step, children explore the effect of multiplying by 1. They notice that when they multiply a number by 1, the result will always be the number itself.

This small step also focuses on multiplying by zero. Children learn that when multiplying any number by zero the result is always zero.

A common misconception with this small step is that children confuse the result of multiplying by zero with multiplying by 1. Ensure pictorial representations are used to address this misconception, so that children can see that 4 × 0 is the same as 4 lots of zero, which is equal to zero.

#### Things to look out for

- Children may use addition instead of multiplication, for example 1 × 1 = 2 and 8 × 1 = 9
- Children may confuse the result of multiplying by zero with multiplying by 1
- When working out a longer multiplication, for example 3 × 4 × 5 × 0, children may start working from left to right rather than realising that as they are multiplying by zero the answer must be zero.

#### **Key questions**

- What does "zero" mean? How can you multiply by zero?
- What do you notice about the results of multiplying numbers by zero?
- What does "multiplying by 1" mean?
- What do you notice about the results of multiplying numbers by 1?
- What is the same and what is different about multiplying by 1 and multiplying by zero?

#### Possible sentence stems

- Any number multiplied by zero is equal to \_\_\_\_\_
- Any number multiplied by 1 is equal to \_\_\_\_\_
- \_\_\_\_\_ groups of one = \_\_\_\_\_
- groups of zero = \_\_\_\_\_

#### **National Curriculum links**


• Use place value, known and derived facts to multiply and divide mentally, including: multiplying by 0 and 1; dividing by 1; multiplying together three numbers

## Multiply by 1 and 0

#### White Rose Maths


#### **Key learning**

• Write a multiplication to work out the total number of pears.



• There are 4 plates.

Each plate has zero apples on it.



How many apples are there in total?

Complete the multiplication.


4 × \_\_\_\_\_ = \_\_\_\_\_

Complete the multiplications.	
-------------------------------	--

- ▶ 1 × 7 = \_\_\_ ▶ 0 × 7 = \_\_\_ ▶ \_\_\_ × 1 = 12 ▶ 0 = \_\_\_ × 12
- Which calculations have an answer of zero?

48 × 1	0 × 38	1 × 1	0 × 0	4 × 0	10 × 1
What do you	u notice?				

• Match the statements to the pictures.










## Multiply by 1 and 0





## Divide a number by 1 and itself

#### Notes and guidance

In this small step, children apply their knowledge of division and explore what happens to a number when they divide it by 1 or itself.

Children can sometimes confuse the result of dividing a number by 1 with dividing a number by itself. Ensure concrete and pictorial representations are used to address this misconception, including examples that involve both structures of division. Stem sentences can be used to encourage children to see this, for example: 5 grouped into 5s is equal to 1 ( $5 \div 5 = 1$ ) and 5 grouped into 1s is equal to 5 ( $5 \div 1 = 5$ ).

Following on from the previous small step, children may try to divide a number by zero and it should be highlighted that this is not possible.

#### Things to look out for

- Children may assume that division is commutative and think that 12 ÷ 1 = 1 ÷ 12
- Children may confuse the result of dividing a number by 1 with dividing the number by itself.
- Children may think a number divided by itself is zero.

#### **Key questions**

- How many equal groups of \_\_\_\_\_ can you make?
- What is \_\_\_\_\_\_ shared equally into 1 group?
- What is \_\_\_\_\_ grouped into groups of 1?
- What is the same and what is different about multiplying by 1 and dividing by 1?
- What is the same and what is different about dividing a number by 1 and dividing a number by itself?

#### **Possible sentence stems**

- When you divide a number by itself, the answer is ...
- When you divide a number by \_\_\_\_\_, the number remains the same.
- There are \_\_\_\_\_ 1s in \_\_\_\_\_
- There is 1 \_\_\_\_\_ in \_\_\_\_\_

#### **National Curriculum links**


• Use place value, known and derived facts to multiply and divide mentally, including: multiplying by 0 and 1; dividing by 1; multiplying together three numbers



## Divide a number by 1 and itself

#### **Key learning**

• Complete the sentences.



- 4 shared into 1 equal group is equal to \_\_\_\_\_ 4 grouped into groups of 1 is equal to \_\_\_\_\_
- 4 ÷ 1 = \_\_\_\_\_
- Here is a bag of 3 pears.

The pears are shared between 3 children. How many pears does each child get?  $3 \div 3 =$ \_\_\_\_\_

- Write a division sentence for each statement.
   Use counters to help you.
  - 4 counters shared into 4 groups
  - 9 counters grouped into ones
  - 7 counters shared into 1 group
  - 6 counters grouped into sixes


• Dani bakes 7 cookies.

She shares them equally between her 7 friends.

How many cookies does each friend get?




A bag can hold 5 apples.
 Ron has 5 apples.
 How many bags can he fill?



What do you notice?

What other divisions can you write with an answer of 1?


• Which of the divisions have an answer of 1?



White R©se Maths

## Divide a number by 1 and itself





## **Multiply three numbers**



#### Notes and guidance

In this small step, children apply their knowledge of multiplication to multiply three numbers together.

They are introduced to the idea of the associative law (but do not need to know it by name), which focuses on the fact that it does not matter how they group the numbers when they multiply. For example,  $4 \times 5 \times 2 = (4 \times 5) \times 2 = 20 \times 2 = 40$  or  $4 \times (5 \times 2) = 4 \times 10 = 40$ 

Encourage children to link this idea to commutativity and change the order of the numbers to group them more efficiently.

Counters and cubes are effective concrete resources to use during this step to support children's understanding of the associative law.

#### Things to look out for

- Children may need support ordering the numbers to group them more efficiently.
- If children are not confident with their times-table facts, they may struggle with multiplying three numbers.
- Children may automatically work from left to right without looking at the most efficient way to complete a calculation.

#### **Key questions**

- Do you have to multiply the numbers from left to right?
- Which pair(s) of numbers do you know the product of?
- How will you decide which order to do the multiplication in?
- What is the same about these calculations/arrays?
- Which order do you find easier to calculate efficiently?
- If you worked out the calculation in a different order, would you get a different answer? Why/why not?

#### **Possible sentence stems**

- I am going to work out \_\_\_\_\_ × \_\_\_\_\_ first, because ...
- To work out \_\_\_\_\_ × \_\_\_\_\_ × \_\_\_\_\_, I can first calculate \_\_\_\_\_ × \_\_\_\_\_ and then multiply the answer by \_\_\_\_\_
- If \_\_\_\_\_ × \_\_\_\_ = \_\_\_\_, then \_\_\_\_\_ × \_\_\_\_ = \_\_\_\_


#### **National Curriculum links**

• Use place value, known and derived facts to multiply and divide mentally, including: multiplying by 0 and 1; dividing by 1; multiplying together 3 numbers

## **Multiply three numbers**

#### **Key learning**


• Complete the workings.



• How does the array show 4 × 2?




How does the array show  $(4 \times 2) \times 5$ ?



Make an array to show  $(5 \times 2) \times 4$ 

What do you notice?

• Find the products.




• Alex and Teddy are working out 6 × 5 × 2

Alex	Teddy
6 × 5 × 2 = 6 × 5 × 2	6 × 5 × 2 = 6 × 5 × 2
= 30 × 2	= 6 × 10
= 60	= 60

Whose method do you prefer?

Is one method more efficient than the other?

Choose the method you prefer to work out the calculations.



• In a field there are 7 animal pens.

In each pen there are 4 rabbit hutches. In each rabbit hutch there are 3 rabbits. How many rabbits are there in total? White Rose Maths

## **Multiply three numbers**



